

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
19-000325	4/1/2019 8:00 AM	4/1/2019	Public Works Roadside Mowing	0 WAX RD
Complete			Mowing /	0 WAX RD
Req Comment:	the walkway was cut the week on 3-25-19--Aaron			
Crew Comment:	WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD			
19-000326	4/1/2019 2:20 PM	4/1/2019 3:06 PM	Public Works Roadside Mowing	10943 N OLD SETTLEMENT RD
Complete			Mowing / Trim Vegetation	
Crew Comment:	CUT FRONT DITCH			
19-000327	4/1/2019 3:10 PM	4/1/2019 3:45 PM	Public Works Roadside Mowing	13331 WOOD CREEK DR
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	13331 WOOD CREEK DR
Crew Comment:	WEED EAT FRONT DITCH			
19-000328	4/10/2019 8:00 AM	4/10/2019	Public Works Litter Control	CITY WIDE SNIPE
Complete			Pick Up Trash / Remove Debris	
Req Comment:	REMOVED 54 SIGNS FROM R.O.W.			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
19-000329	4/1/2019 7:00 AM	4/1/2019 8:00 AM	Public Works Draining Maintenance	15353 HOOPER RD
Complete			/ Remove Debris	
Req Comment:	REMOVE BLOCKAGE FROM CULVERTS IN FRONT OF CUSTOM METAL WORKS ON HOOPER RD			
19-000330	4/5/2019 7:00 AM	4/5/2019 11:30 AM	Public Works Miscellaneous	15213 PINEWOOD DR
Complete			/ Repair or Replace Culvert	
Req Comment:	DRIVEWAY CAVING IN			
	Dye test and probing verified void under driveway and culvert leaking Priority2 Bert			
19-000331	4/2/2019 7:00 AM	4/2/2019 8:30 AM	Public Works Litter Control	0 ASHTON AVE
Complete			/ Remove Debris	
Req Comment:	remove crushed asphalt and add dirt			
19-000332	4/2/2019 1:00 PM	4/2/2019 2:02 PM	Public Works Roadside Mowing	14238 DENHAM RD
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	weedeat ditch			
19-000333	4/8/2019 8:45 AM	4/8/2019 9:30 AM	Public Works Off-Road Weedeating/Cleanup	12260 ARROWOOD AVE
Complete			/ OFF ROAD WEEDEAT	
Req Comment:	REAR DITCH NEEDS WEED EATING AND SPRAYED			
19-000334	4/3/2019 2:30 PM	4/3/2019 4:00 PM	Public Works Draining Maintenance	14200 NORTHEAST ST
Complete			/ Repair or Replace Landscaping	
Req Comment:	DITCH ISN'T DRAINING. GARBAGE TRUCK GOT STUCK.			
19-000335	5/22/2019 11:30 AM	5/22/2019 4:00 PM	Public Works Storm Drain Repair	13331 PALOMINO DR
Complete			/ Repair or Replace Culvert	

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
Req Comment:	STORM DRAIN LEAKING				
	Dye test revealed culvert leaking under driveway. Home owner started to remove driveway. Need barricade until repair is made.				
	Priority 2				
19-000336			Public Works		10905 N OLD SETTLEMENT RD
4/8/2019	10:00 AM	4/8/2019	11:53 AM	Roadside Weed-eating	
Complete				/ ROADSIDE WEEDEAT	
Req Comment:	weedeat ditches				
19-000337			Public Works		7164 BURTCLIFF DR
5/2/2019	7:00 AM	5/2/2019	3:00 PM	Storm Drain Repair	
Complete				/ Repair or Replace Culvert	
Req Comment:	DRIVEWAY CRACKING				
	Cracked up Driveway appears to have been caused by the ground settling around the culvert				
19-000338			Public Works		20825 HOLMES DR
4/9/2019	4:00 PM	4/9/2019	6:00 PM	Storm Drain Repair	
Complete				/ Repair or Replace Culvert	
Req Comment:	CULVERT LEAKING IN THE DRIVEWAY CLOSEST TO THE BIG WOODEN FENCE.				
	Scraped out fill in hole over culvert, poured water in depression. No indication of leaking culvert				
	One end of culvert is steel the end is white plastic water pipe				
	The area where the two different pipe materials joins looks like something is hanging, culvert not totally blocked. It appears there is three joints of pipe.				
	LIMESTONE DRIVEWAY				
	NO CAVITY UNDER DRIVEWAY				
19-000339			Public Works		5983 LANDMOR DR
4/5/2019	1:00 PM	4/5/2019	4:00 PM	Storm Drain Repair	
Complete				/ Repair Catch Basin	
Req Comment:	SINKHOLE IN FRONT YARD NEXT TO STORM DRAIN				
	Sink hole at catch basin that is off driveway approximately 20'				
19-000340			Public Works		7607 PRAIRIE DR
4/9/2019	9:00 AM	4/9/2019	11:30 AM	Storm Drain Repair	
Complete				/ Repair or Replace Pipe	
Req Comment:	SINKHOLE NEXT TO DRIVEWAY AGAIN. PREVIOUS WORK DONE				
	BACKFILL DRIVEWAY. PREVIOUS WORK DONE				
	A sink hole next to limestone driveway patch. Previous repair work				
	Limestone driveway patch has settled				
19-000341			Public Works		9988 TANGLEWOOD DR
4/9/2019	11:30 AM	4/9/2019	4:00 PM	Storm Drain Repair	
Complete				/ Repair Catch Basin	
Req Comment:	homeowner is stating there are holes around the catch basins, also wants someone to look at rear drainage				
	Sink holes at two catch basins				
19-000342			Public Works		9988 TANGLEWOOD DR
				Storm Drain Repair	
Complete				/	
Req Comment:	homeowner is stating there are holes around the catch basins, also wants someone to look at rear drainage				
	DUPLICATE TO 19-000341				

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
19-000343			Public Works		11237 CREIGHTON DR
4/9/2019	7:00 AM	4/9/2019	11:00 AM	Draining Maintenance	
Complete			/ Roads Side Ditch Digging		
Req Comment:	ROADSIDE DITCH NEEDS CLEARING. CULVERT MAY BE CLOGGED				
Dig out ditch at this address and torpedo the 14" metal driveway culvert					
19-000344			Public Works		17627 HEARTHWOOD DR
4/8/2019	3:00 PM	4/9/2019	9:00 AM	Off Road Drainage	
Complete			/ Repair or Replace Culvert		
Req Comment:	EROSION AROUND THE DRAINAGE PIPE AT THE REAR DITCH. PIPE IS 20-30 INCHES				
The 4 foot metal storm drain outfall has sink holes approximately 10' back from end of pipe.					
19-000345			Public Works		0 JOOR RD
4/5/2019	8:00 AM	4/5/2019		Roadside Mowing	
Complete			Mowing /		
Req Comment:	work has been completect				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD				
19-000346			Public Works		0 GREENWELL SPRINGS RD
4/5/2019	8:00 AM	4/5/2019		Roadside Mowing	0 CENTRAL THRUWAY
Complete			Mowing /		
Req Comment:	work has been completed				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNER OF GREENWELL SPRING ROAD AND CENTRAL THRUWAY				
19-000347			Public Works		0 GREENWELL SPRINGS RD
4/5/2019	8:00 AM	4/5/2019		Roadside Mowing	0 MAGNOLIA BRIDGE RD
Complete			Mowing /		
Req Comment:	work has been completed				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD				
19-000348			Public Works		0 GURNEY RD
4/5/2019	8:00 AM	4/5/2019		Roadside Mowing	0 GURNEY RD
Complete			Mowing /		
Req Comment:	work has been completed				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT				
19-000349			Public Works		0 LOVETT RD
4/5/2019	8:00 AM	4/5/2019		Roadside Mowing	0 LOVETT RD
Complete			Mowing /		
Req Comment:	work has been completed				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT				
19-000350			Public Works		9412 SAGEFIELD DR
4/10/2019	10:00 AM	4/10/2019	11:20 AM	Off Road Drainage	
Complete			/ Remove Debris		
Req Comment:	DEBRIS PILED UNDER A GAS LINE				
Drift has accumulated on sewer line crossing. It appears to have caused the sewer line to shift					
19-000351			Public Works		14234 GEMINI DR
4/8/2019	1:00 PM	4/8/2019	6:00 PM	Draining Maintenance	
Complete			/ Roads Side Ditch Digging		
Req Comment:	CORNER LOT-H.O. WANTS DITCH DUG ON SCORPIO TO DEAD END.				
The driveway for 14234 Gemini, is on Scorpio, this is a corner lot, skim out the ditch on Scorpio from 14234 Gemini driveway back Approximately 55' toward Gemini.					
Skim out the ditch from the driveway of 14234 Gemini towards the canal Approximately 120'					

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000352			Public Works Off Road Drainage	6531 LAWRIDGE DR
Complete	/			
Req Comment:	REAR DITCH NEEDS SMALL TREES CLEARED			
	Remove saplings and shrubs behind odd numbered lots This is third request			
	CLOSED - DUPLICATE TO 19-000148			
19-000353			Public Works	14112 BURLINGTON AVE
4/9/2019	2:00 PM	4/9/2019	3:30 PM	Draining Maintenance
Complete	/	Roads Side Ditch Digging		
Req Comment:	NEIGHBORS DITCH NEEDS TO BE DUG (VACANT HOUSE) 14102 BURLINGTON - BURLINGTON SIDE OF LOT NEEDS TO BE DUG			
	Skim out ditch in front of 14102 Burlington from approximately 60' from 14112 Burlington's driveway			
19-000354			Public Works	14419 BROWN RD
4/11/2019	9:30 AM	4/11/2019	11:30 AM	Draining Maintenance
Complete	/	Roads Side Ditch Digging		
Req Comment:	DIG ROADSIDE DITCH			
	Dig out front ditch from 14419 to 14427 Brown driveway 175 feet			
19-000355			Public Works	18181 FRENCHTOWN ACRES DR
4/8/2019	7:00 AM	4/8/2019	12:00 PM	Draining Maintenance
Complete	/	Roads Side Ditch Digging		
Req Comment:	ROADSIDE DITCH NEEDS DIGGING. CULVERT POSSIBLY CLOGGED			
	Skim out ditch from 18181 Frenchtown Acres for approximately 175' to 18235 Frenchtown Acres Torpedo 18181 Frenchtown Acres 12" concrete culvert			
19-000356			Public Works	10052 CLOUDLAND DR
4/9/2019	2:00 PM	4/9/2019	2:28 PM	Miscellaneous
Complete	/	Install Rip-Rap		
Req Comment:	REAR CANAL EROSION, POSSIBLY SEWER			
	Hand crew to place broken concrete to help with erosion at the rear fence.			
19-000357			Public Works	17453 HEARTHWOOD DR
4/5/2019	1:00 PM	4/5/2019	4:00 PM	Backfill/Dressup
Complete	/	Repair or Regrade Ditch		
Req Comment:	DITCH DUG TOO DEEP. BACKFILL TO ELEVATION			
19-000358			Public Works	16631 PERNECIA AVE
4/5/2019	2:00 PM	4/5/2019	2:12 PM	Culvert Clean Out
Complete	/	Remove Debris		
Req Comment:	CULVERT BLOCKED WITH LEAVES BETWEEN 16631 TO 16701 PERNECIA			
19-000359			Public Works	16344 ALFORD DR
4/8/2019	7:00 AM	4/8/2019	8:30 AM	Off-Road Weedeating/Cleanup
Complete	/	OFF ROAD WEEDEAT		
Req Comment:	WEEDEAT SIDE DITCH			
19-000360			Public Works	14332 FESTUS DR
Complete	/	Pot Hole Patching		

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment: POTHOLE IN FRONT OF DRIVEWAY LISTED				
BASE FAILURES - REFERRED TO ROBERT				
19-000361	4/22/2019 12:00 PM	4/22/2019 12:30 PM	Public Works Pot Hole Patching	0 ELISSA LN
Complete	/ Fill Potholes			
Req Comment: 1-POTHOLE ELISSA LANE & N. EISWORTH				
2-POTHOLE MAGNOLIA SQUARE BLVD AND THE ALLEY BEHIND STABS MEET				
3-PLEASE RIDE THRU SUBDIVISION FOR A FEW MORE.				
19-000362	4/5/2019 3:50 PM	4/5/2019 3:55 PM	Public Works Miscellaneous	9938 GOLDEN GATE AVE
Complete	/ Investigate			
Req Comment: PUT UP BARRICADES				
19-000363	4/10/2019 7:00 AM	4/10/2019 6:00 PM	Public Works Storm Drain Repair	9938 GOLDEN GATE AVE
Complete	/ Repair Catch Basin			
Req Comment: CATCH BASIN LEAKING REPAIR AND BACKFILL HOLES				
19-000364	4/17/2019 1:00 PM	4/17/2019 3:11 PM	Public Works Pot Hole Patching	0 HUNTLEY AVE
Complete	/ Fill Potholes			
Req Comment: POTHOLES THROUGH OUT THE NEIGHBORHOOD - PLEASE CHECK				
19-000365	4/8/2019 1:32 PM	4/8/2019 1:56 PM	Public Works Roadside Weed-eating	17517 FRENCHTOWN ACRES DR
Complete	/ ROADSIDE WEEDEAT			
Req Comment: WEED EAT ROADSIDE DITCH				
19-000366	4/8/2019 2:16 PM	4/8/2019 2:37 PM	Public Works Roadside Weed-eating	11033 NORWAY PINE DR
Complete	/ ROADSIDE WEEDEAT			
Req Comment: WEED EAT ROADSIDE DITCH				
19-000367	4/8/2019 2:40 PM	4/8/2019 3:08 PM	Public Works Roadside Weed-eating	14737 W BEAVER DR
Complete	/ ROADSIDE WEEDEAT			
Req Comment: WEED EAT ROADSIDE DITCH				
19-000368	4/8/2019 1:00 PM	4/8/2019 1:31 PM	Public Works Roadside Weed-eating	4883 THIBODEAUX RD
Complete	/ ROADSIDE WEEDEAT			
Req Comment: WEED EAT ROADSIDE DITCH				
19-000369	4/10/2019 9:24 AM	4/10/2019 9:57 AM	Public Works Backfill/Dressup	5983 LANDMOR DR
Complete	/ Resurface			
Req Comment: BACKFILL NEXT TO STORM DRAIN REPAIR PREVIOUSLY MADE IN FRONT YARD				
19-000370	4/8/2019 1:55 PM	4/8/2019 2:14 PM	Public Works Off-Road Weedeating/Cleanup	18235 FRENCHTOWN ACRES DR
Complete	/ OFF ROAD WEEDEAT			
Req Comment: WEED EAT DITCH THAT RUNS BETWEEN 18235 AND 18181 FRENCHTOWN ACRES.				
19-000371	4/11/2019 10:30 AM	4/11/2019 2:00 PM	Public Works Off Road Drainage	13722 CALCASIEU AVE
Complete	/ Install Rip-Rap			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
			Problem	Cross Street
Status	Main Task/Task			
Req Comment: CHECK INTEGRITY OF CONCRETE DITCH & A COUPLE OF HOUSES DOWNSTREAM.				
Cave in along concrete lined canal. Needs orange fence around cave in. Concrete lining has numerous cave ins along canal hazardous. I am of the opinion this is capital improvements. Outside scope of work. Fence is for health safety issues. May use flowable fill and backfill as a temp repair. BDR				
19-000372			Public Works	13722 CALCASIEU AVE
4/9/2019	3:00 PM	4/9/2019	3:15 PM Off Road Drainage	
Complete	/ Investigate			
Req Comment: CHECK INTEGRITY OF CONCRETE DITCH & A COUPLE OF HOUSES DOWNSTREAM.				
Cave in along concrete lined canal. Needs orange fence around cave in. Concrete lining has numerous cave ins along canal hazardous. I am of the opinion this is capital improvements. Outside scope of work. Fence is for health safety issues. May use flowable fill and backfill as a temp repair. BDR				
SET UP BARRICADE				
19-000374			Public Works	15049 DURMAST DR
4/8/2019	4:30 PM	4/8/2019	6:00 PM Storm Drain Repair	
Complete	/ Roads Side Ditch Digging			
Req Comment: PER FIELD INVESTIGATION				
DIG DITCH ON THE VACANT LOT				
19-000375			Public Works	17322 ROBLE AVE
4/9/2019	11:00 AM	4/9/2019	1:00 PM Culvert Clean Out	
Complete	/ Clean Culvert			
Req Comment: CULVERT CLEAN OUT				
19-000376			Public Works	13055 DENHAM RD
4/10/2019	1:00 PM	4/10/2019	1:40 PM Draining Maintenance	
Complete	/ Remove Debris			
Req Comment: ROADSIDE DITCH ALONG DENHAM RD TO JOOR RD NOT DRAINING - RAIN EVENT 4/4/19				
Hand crew start at his ditch and weedeat and remove debris from ditches and culverts to the outfall. 5 ditches total				
19-000377			Public Works	0 CHICKASAW AVE
			Pot Hole Patching	
Complete	/			
Req Comment: POTHOLE - CHICKASAW @ LIBERTY				
Pot holes were already fixed... see pocs				
19-000378			Public Works	0 RED MAPLE PL
4/9/2019	1:15 PM	4/9/2019	1:44 PM Roadside Weed-eating	
Complete	/ ROADSIDE WEEDEAT			
Req Comment: WEED EAT CUL DE SAC AT THE END OF RED MAPLE PL				
19-000379			Public Works	7304 FRONTIER DR
4/30/2019	4:00 PM	5/1/2019	9:00 AM Draining Maintenance	
Complete	/ Repair or Replace Landscaping			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment:	1) WATER PONDING IN REAR OF PROPERTY 2) SERVITUDE IN REAR OF PROPERTY NEEDS CLEARING 3) SINKHOLE IN FRONT YARD 4) CROSS CULVERT (IN FRONT OF HOUSE) IS 1/2 FULL OF DIRT PER RAY 1-homeowner will call when it is dry enough to dig swale ditch 2-not an issue 3-sinkhole will be fixed. They are marked with white paint. 4- not an issue			
19-000380			Public Works Draining Maintenance	11033 NORWAY PINE DR
Complete	/			
Req Comment:	DITCH STILL HOLDING WATER BACKFILL DITCH PER RAY Dirt has been added closed out			
19-000381			Public Works	17209 EVERGREEN HILLS DR
4/15/2019 7:00 AM	4/15/2019 12:00 PM	Storm Drain Repair		
Complete	/ Repair or Replace Culvert			
Req Comment:	NEW SINKHOLES FROM 4/4/19 RAIN EVENT. PLEASE FIX THIS PROBLEM! STORM DRAIN REPAIRS MARKED IN WHITE PAINT. IT APPEARS ONE REPAIR IS A FAILURE FROM PREVIOUS REPAIR. NEXT TO THE CATCH BASIN.			
19-000382			Public Works Pot Hole Patching	0 REDSTONE CT
Complete	/			
Req Comment:	ENTRANCE OF REDSTONE HAS TWO BIG POTHoles BASE FAILURE - REFERRED TO ROBERT			
19-000383			Public Works	0 ARLEEN AVE
4/12/2019 7:00 AM	4/12/2019 3:00 PM	Draining Maintenance		
Complete	/ Repair Edge of Road			
Req Comment:	WASHOUT NEXT TO THE ROAD IN BETWEEN 9637 & 9729 ARLEEN BRING TIMBERS FOR RETAINING WALL. BACKFILL WITH MILLED ASPHALT. LEAVE EXISTING RETAINING WALL. RAY WILL BE ON SITE TO INSTRUCT REPAIRS			
19-000384			Public Works	14627 BON DICKEY DR
4/11/2019 3:30 PM	4/15/2019 6:00 PM	Draining Maintenance		
Complete	/ Roads Side Ditch Digging			
Req Comment:	DITCH NEEDS TO BE DUG AND CULVERT UNCLOGGED DIG ROADSIDE DITCH FROM 14627 BON DICKEY TO END OF ROAD (OUTFALL). CULVERTS WILL NEED TORPEDO. START AT THE OUTFALL			
19-000385			Public Works	13432 WOOD CREEK DR
4/15/2019 1:00 PM	4/15/2019 3:00 PM	Culvert Clean Out		
Complete	/ Roads Side Ditch Digging			
Req Comment:	CULVERTS STAY 1/2 FULL ALL THE TIME-CAUSING MOSQUITOS STANDING WATER AT 13432, 13422, 13412 WOOD CREEK DIG DITCH AT 13320 WOOD CREEK			
19-000387			Public Works	13412 PALOMINO DR
4/9/2019 3:20 PM	4/9/2019 3:47 PM	Off Road Drainage		
Complete	/ OFF ROAD WEEDEAT			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment:	REAR CANAL-2 HOUSES DOWN TOWARDS PAINT-CANAL FILLED IN HIGHER CAUSING HO TO HAVE STANDING WATER			
	Weed eat from Shetland rear ditch to paint.			
19-000388			Public Works Off Road Drainage	13412 PALOMINO DR
Complete	/			
Req Comment:	REAR CANAL-2 HOUSES DOWN TOWARDS PAINT-CANAL FILLED IN HIGHER CAUSING HO TO HAVE STANDING WATER			
	Issue request for allen and David to shoot elevations as it looks like 2nd resident from paint has filled part of ditch			
	13412 PALOMINO TO THE CROSS DRAIN HAS A FALL. CLOSE OUT PER INSPECTORS NOTES			
19-000389			Public Works	17709 MAGNOLIA BRIDGE RD
4/9/2019 4:00 PM	4/9/2019 4:30 PM		Off Road Drainage	
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	REAR DITCH NOT DRAINING. MAY BE BLOCKAGES			
	Walked the rear ditch found a few small blockages in ditch, can issue to hand crew should only take 20-30 minutes.			
19-000390			Public Works	11084 HENSON DR
4/11/2019 7:00 AM	4/11/2019 10:00 AM		Storm Drain Repair	
Complete	/ Repair Catch Basin			
Req Comment:	Storm drain box is leaking, seal box from inside and backfill 3 small holes			
19-000391			Public Works	11420 BROWNING RD
4/17/2019 11:00 AM	4/18/2019 12:00 PM		Draining Maintenance	
Complete	/ Repair or Replace Culvert			
Req Comment:	ROADSIDE DITCH IS STILL NOT DRAINING PREVIOUS WORK DONE 11/2018			
	PER RAY CULVERT AT 11440 NEEDS TO BE LOWERED TO ELEVATION. DIG UP AND FILL IN WITH LIMESTONE			
19-000392			Public Works	13331 WOOD CREEK DR
4/10/2019 7:00 AM	4/10/2019 8:30 AM		Roadside Mowing	13331 WOOD CREEK DR
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			
Crew Comment:	WEED EAT FRONT DITCH			
19-000393			Public Works	7303 FRONTIER DR
4/16/2019 4:00 PM	4/16/2019 6:00 PM		Draining Maintenance	
Complete	/ Roads Side Ditch Digging			
Req Comment:	CORNER LOT - DIG ROADSIDE DITCH ON BONANZA PLACE			
19-000394			Public Works	7056 LANDMOR DR
4/10/2019 5:00 PM	4/10/2019 6:00 PM		Roadside Weed-eating	
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	WEED EAT SERVITUDE TO THE RIGHT OF HOUSE			
19-000395			Public Works	14995 BLACKWATER RD
4/12/2019 8:45 AM	4/12/2019 9:15 AM		Tree Removal	
Complete	/ Remove Debris			
Req Comment:	TREE FELL IN THE SERVITUDE BLOCKING DRAINAGE - REAR OF PROPERTY			
	A limb had fallen from a tree, that is outside the drain servitude, across the ditch and partly blocking the flow. The limb is approximately 10' long and approximately 10" in diameter A hand crew can cut up and remove the limb			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status				Main Task/Task	Cross Street
19-000396			Public Works		0 PRAIRIE DR
4/11/2019	2:30 PM	4/11/2019	2:44 PM	Traffic Sign Maintenance	
Complete				/ Install Sign	
Req Comment:	LOVETT AND PRAIRIE-PUT STREET SIGN BACK UP. NEED POLE. SIGN IS BEHIND THE OFFICE				
19-000397			Public Works		12835 GURNEY RD
				Culvert Clean Out	
Complete				/	
Req Comment:	ho stated that there is a blockage at one of the culverts that goes under her driveway, she stated she had culverts at 2 locations				
	Drift had accumulated at double culverts Drift was removed from double culvert.				
19-000398			Public Works		0 WILLOWBROOK DR
4/17/2019	3:10 PM	4/17/2019	4:00 PM	Pot Hole Patching	
Complete				/ Fill Potholes	
Req Comment:	POTHOLE ON WILLOWBROOK				
19-000399			Public Works		14646 BROWN RD
4/11/2019	5:00 PM	4/11/2019	6:00 PM	Roadside Weed-eating	
Complete				/ ROADSIDE WEEDEAT	
Req Comment:	WEEDEAT ROADSIDE DITCH				
19-000400			Public Works		0 SUNCREST AVE
4/23/2019	1:00 PM	4/23/2019	3:00 PM	Storm Drain Repair	
Complete				/ Repair or Replace Culvert	
Req Comment:	REPAIR CATCH BASIN NEXT TO 10942 SUNCREST. SINKHOLES				
19-000401			Public Works		0 SUNCREST AVE
				Off Road Drainage	
Complete				/	
Req Comment:	WALK DITCH BETWEEN SUNCREST AND BRILLOCK. REMOVE ANY BLOCKAGES.				
19-000402			Public Works		13815 HERITAGE OAK DR
4/15/2019	1:00 PM	4/16/2019		Storm Drain Repair	
Complete				/ Repair or Replace Culvert	
Req Comment:	SINKHOLES BY STORM DRAINS. ALL OVER YARD				
	This address is at the corner of Rambling Oaks and Heritage oaks. There is one catch basin on each side of driveway on heritage Oaks. Facing the street the catch basin on the left needs a grate. The catch basin on the right has one sink hole 12' between it and the driveway. The other side 10' from the catch basin is another sink hole. This catch basin has sink holes. On Rambling Oaks 5' from catch basin towards the utility pole is sink hole. At this catch basin, 3', 5' are sink holes, and one 7' from a shrub at property line				
19-000403			Public Works		0 LOVETT RD
4/12/2019	3:00 PM	4/12/2019	4:00 PM	Miscellaneous	
Complete				/ Remove Guard Rail	
Req Comment:	REMOVE DEBRIS (GUARD RAIL) FROM BRIDGE NEAR THE INTERSECTION OF LOVETT AND JOOR				
19-000404			Public Works		12949 BIG OAK AVE
5/2/2019	1:00 PM	5/2/2019	2:00 PM	Backfill/Dressup	
Complete				/ Repair or Replace Landscaping	
Req Comment:	FLATTEN OUT SPOT NEXT TO DRIVEWAY AND DRESS UP THE REST				
19-000405			Public Works		14029 HUNTLEY AVE
4/16/2019	9:00 AM	4/16/2019	10:30 AM	Draining Maintenance	
Complete				/ Roads Side Ditch Digging	
Req Comment:	DIG FRONT DITCH DRIVEWAY TO DRIVEWAY				

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000406	4/12/2019 7:00 AM	4/12/2019 8:31 AM	Public Works Roadside Mowing	0 WAX RD
Complete		Mowing / ROADSIDE WEEDEAT	0 WAX RD	
Crew Comment:	WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD			
19-000407	4/12/2019 1:00 PM	4/12/2019 1:30 PM	Public Works Roadside Weed-eating	15288 EL RANCHITOS AVE
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	WEEDEAT ROADSIDE DITCH			
19-000408	4/12/2019 1:31 PM	4/12/2019 1:54 PM	Public Works Roadside Weed-eating	15647 FOUR OAKS DR
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	WEEDEAT ROADSIDE DITCH			
19-000409	4/12/2019 2:00 PM	4/12/2019 2:30 PM	Public Works Pot Hole Patching	0 LINDSEY NEAL DR
Complete		/ Resurface		
Req Comment:	POTHOLE - LINDSEY NEAL AND KEYSTONE CRUSHED ASPHALT			
19-000411			Public Works Off-Road Weedeating/Cleanup	9851 JOOR RD
WO Cancelled			/	
Req Comment:	REAR DITCH NEEDS TO BE CLEANED/WEEDEAT CALL H.O. BEFORE WEEDEATING 4/12/19 - H.O. DOES NOT WANT WEEDEATING, HE WANTS THE REAR DITCH DUG. CLOSE OUT THIS W.O.			
19-000412	4/15/2019 4:30 AM	4/15/2019 4:50 AM	Public Works Roadside Mowing	10943 N OLD SETTLEMENT RD
Complete			Mowing / ROADSIDE WEEDEAT	
Crew Comment:	CUT FRONT DITCH			
19-000413	4/15/2019 8:00 AM	4/18/2019 9:00 AM	Public Works Litter Control/	CITY WIDE SNIPE
Complete			Pick Up Trash /	
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
19-000414			Public Works Roadside Weed-eating	10255 LOVETT RD
Complete			/	
Req Comment:	WEEDEAT ROADSIDE DITCH complete			
19-000415	4/14/2019 7:30 AM	4/14/2019 2:00 PM	Public Works Draining Maintenance	10235 LOVETT RD
Complete			/ High Tree Limb Removal	
Req Comment:	DIG ROADSIDE DITCH AT 10235 AND 10255 LOVETT RD			
19-000416	4/15/2019 7:30 AM	4/15/2019 2:00 PM	Public Works Tree Removal	13915 TRIPLE B RD
Complete			/ High Tree Limb Removal	
Req Comment:	REMOVE TREE THAT FELL IN THE ROAD FROM STORM			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000417	4/30/2019 10:40 AM	4/30/2019 11:00 AM	Public Works Miscellaneous	0 HOOPER RD
Complete		/ Install Guard Rail		
Req Comment:	INSTALL TEMPORARY FENCING AROUND THE SINKHOLE AT THE CORNER OF JOOR AND HOOPER DOTD ISSUE			
19-000418			Public Works Traffic Sign Maintenance	0 WHITE OAK PLAINS LN
Complete		/		
Req Comment:	WHITE OAK PLAINS @ CORE STREET SIGN IS LEANING OVER STOP SIGN HAS SLID DOWN POLE. NEEDS TO BE ADJUSTED. private road. can not maintain			
19-000419			Public Works Traffic Sign Maintenance	0 W WATERSIDE DR
Complete		/		
Req Comment:	NEED A STOP SIGN AT W. WATERSIDE AND HIGHLAND LAKE PER ROBERT This is a HOA sign, see attached email to HOA			
19-000420			Public Works Roadside Mowing	0 HOOPER RD
Complete		/		
Req Comment:	CUT MEDIAN ON HOOPER RD BETWEEN BLACKWATER AND OUR PLACE RESTAURANT.			
19-000421	5/3/2019 2:00 PM	5/3/2019 2:30 PM	Public Works Backfill/Dressup	17422 LAKE VISTA DR
Complete			/ Resurface	
Req Comment:	BACKFILL DRIVEWAY			
19-000422	4/16/2019 3:30 PM	4/17/2019 11:30 AM	Public Works Storm Drain Repair	9988 TANGLEWOOD DR
Complete			/ Repair or Replace Culvert	
Req Comment:	REPAIR CATCH BASINS AND SINKHOLES IN FRONT YARD			
19-000423			Public Works Miscellaneous	0 FRENCHTOWN RD
Complete		/		
Req Comment:	TRIM TREES AROUND SCHOOL ZONE LIGHTS TO ALLOW THE SOLAR PANEL TO BE VISIBLE TO SUNLIGHT. ARMCO IS ORDERING NEW BATTERIES FOR THE PANEL AS WELL. PER MAYOR'S REQUEST NO TREES BLOCKING SOLAR PANEL			
19-000424	4/23/2019 1:50 PM	4/23/2019 3:10 PM	Public Works Roadside Weed-eating	9208 SHADY BLUFF DR
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	WEEDEAT ROADSIDE DITCH - VACANT LOT REFERRED BY CODE ENFORCEMENT			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000425			Public Works	20821 WATSON DR
4/23/2019 4:00 PM	4/23/2019 6:00 PM	Miscellaneous		
Complete		/ Repair or Replace Landscaping		
Req Comment:	REMOVE FENCE THAT IS FALLING DOWN IN THE REAR OF PROPERTY			
REFERRED BY CODE ENFORCEMENT				
19-000426			Public Works	0 DURMAST DR
4/23/2019 7:15 AM	4/23/2019 9:20 AM	Roadside Mowing		0 DURMAST DR
Complete		Mowing / ROADSIDE WEEDEAT		
Crew Comment:	LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING THE ENTIRE STREET			
19-000427			Public Works	0 VIRGIL JACKSON AVE
4/17/2019 3:00 PM	4/17/2019 6:00 PM	Miscellaneous		
Complete		/ High Tree Limb Removal		
Req Comment:	TRIM TREES AT THE ENTRANCE OF JACKSON PLACE			
19-000428			Public Works	6415 E CASTLEDALE DR
5/3/2019 11:00 AM	5/3/2019 2:00 PM	Backfill/Dressup		
Complete		/ Resurface		
Req Comment:	BACKFILL FRONT YARD FROM PREVIOUS WORK			
19-000429			Public Works	10939 BIG SUR CT
		Pot Hole Patching		
Complete		/		
Req Comment:	POTHOLE IS GROWING			
	Pothole was filled last week			
19-000430			Public Works	10813 RIFLE DR
4/17/2019 1:30 PM	4/17/2019 3:20 PM	Culvert Clean Out		
Complete		/ Remove Debris		
Req Comment:	CULVERTS UNDER ROAD NEED CLEANING			
	Culvert under road blocked with trash and tree limbs Priority1 before rain event 1 hr with machine with thumb			
19-000431			Public Works	0 CHAUMONT AVE
4/22/2019 7:30 AM	4/22/2019 10:30 AM	Pot Hole Patching		
Complete		/ Repair Edge of Road		
Req Comment:	ALL 4 CORNERS OF THE INTERSECTION AT CHAUMONT AND BAYONNE NEED ADDRESSING. ROAD EATING AWAY WHEN BUSSES COME THROUGH			
	PLEASE CALL H.O. BEFORE INSPECTING			
	Repair the radius with milled asphalt per Ray			
19-000432			Public Works	11721 WILD ROSE DR
4/29/2019 7:00 AM	4/29/2019 6:00 PM	Storm Drain Repair		
Complete		/ Repair or Replace Pipe		
Req Comment:	SINKHOLES AROUND STORM DRAIN			
	FLOWABLE FILL SINKHOLES			
19-000433			Public Works	11731 WILD ROSE DR
4/29/2019 7:00 AM	4/29/2019 6:00 PM	Driveway Repair		
Complete		Repair or Replace Culvert / Repair or Replace Pipe		
Req Comment:	DRIVEWAY COLLAPSING			
19-000434			Public Works	13657 TRIPLE B RD
4/30/2019 11:00 AM	4/30/2019 4:00 PM	Storm Drain Repair		
Complete		/ Repair or Replace Culvert		

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
Req Comment:	SINKHOLES NEXT TO CATCH BASIN BY DRIVEWAY				
	DRIVEWAY FOR LOT #2 - MARKED BY WORK HORSES				
	Facing the house the catch basin to the right side of driveway has two sink holes near it and the driveway is undermined over culvert				
19-000435			Public Works		6719 BRYCE CANYON DR
4/22/2019	1:00 PM	4/22/2019	6:00 PM	Storm Drain Repair	
Complete			/ Repair Catch Basin		
Req Comment:	SINKHOLES IN FRONT YARD. MARKED WITH STAKES/FLAGS				
	Two catch basins in front of this address each has sink hole at them				
19-000436			Public Works		12966 N OAK TREE DR
4/23/2019	7:00 AM	4/23/2019	11:00 AM	Storm Drain Repair	
Complete			/ Repair Catch Basin		
Req Comment:	SINKHOLE AROUND CATCH BASIN IN FRONT YARD.				
	EROSION AROUND CULVERT RUNNING FROM DITCH TO CATCH BASIN.				
	There is erosion around the end of pipe eroding back to storm drain junction box At the junction box there is sink holes around it				
19-000437			Public Works		11734 BLACKWATER RD
4/29/2019	3:30 PM	4/29/2019	4:00 PM	Draining Maintenance	
Complete			/ Remove Debris		
Req Comment:	DEBRIS IN DRAINAGE CANAL THAT RUNS THROUGH THIS PROPERTY (WHERE THE BRIDGE IS LOCATED)				
	H.O. WOULD LIKE FOR YOU TO CALL BEFORE YOU INVESTIGATE.				
	Home owner wanted debris removed from bridge. The bridge has some minor accumulation of debris.				
19-000438			Public Works		17137 EVERGREEN HILLS DR
4/22/2019	9:30 AM	4/22/2019	12:00 PM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	SINK HOLES AROUND CATCH BASIN IN FRONT OF PROPERTY - RIGHT SIDE OF CIRCLE DRIVE				
	Sink hole at catch basin that is at the right side of driveway facing the house				
19-000439			Public Works		7212 FRONTIER DR
4/26/2019	1:00 PM	4/26/2019	4:00 PM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	CATCH BASIN TO THE LEFT OF THE DRIVEWAY NEEDS REPAIR.				
	The catch basin has a pipe failure at it. Concrete pipe				
19-000440			Public Works		14196 BROWN RD
5/7/2019	12:30 PM	5/7/2019	2:30 PM	Draining Maintenance	
Complete			/ Clean Culvert		
Req Comment:	H.O. WANTS ROADSIDE DITCH DUG				
	REFERRED BY EBR				
	Remove limbs from in front of 14196 Brown. Dig out ditch from 14196 Brown 181' to 14186 Brown				
19-000441			Public Works		14196 BROWN RD
Complete			Draining Maintenance		
			/		

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
Req Comment: H.O. WANTS ROADSIDE DITCH DUG				
REFERRED BY EBR				
DUPLICATE TO 19-000440 - CLOSE OUT				
19-000442			Public Works	14233 BECKETT AVE
4/29/2019	2:00 PM	4/29/2019	5:00 PM	Draining Maintenance
Complete			/ Roads Side Ditch Digging	
Req Comment: CORNER LOT - DITCH NEEDS TO BE DUG ON BECKETT SIDE				
The front ditch needs to be dug out for approximately 37' from 14223 Beckett driveway. Weed eat the rest of the distance to corner				
19-000443			Public Works	9536 SHADOWS END AVE
4/23/2019	3:00 PM	4/24/2019	9:00 AM	Storm Drain Repair
Complete			/ Repair or Replace Culvert	
Req Comment: CATCH BASIN ON THE CORNER BY STREET SIGN HAS SINKHOLES				
EBR REFERRED HER TO US				
There is a sink hole between storm drain junction box and end of culvert. This sink hole is causing the street sign to be unstable				
19-000444			Public Works	5302 LESAGE DR
4/22/2019	2:30 PM	4/22/2019	4:00 PM	Culvert Clean Out
Complete			/ Clean Culvert	
Req Comment: CULVERT NEEDS TO BE CLEANED				
19-000445			Public Works	17132 BLACK SPRUCE AVE
4/29/2019	11:00 AM	4/29/2019	3:00 PM	Draining Maintenance
Complete			/ Roads Side Ditch Digging	
Req Comment: H.O. WANTS ROADSIDE DITCH DUG				
Skim out ditch between 17142 and 17132 Black Spruce approx 54' and skim out ditch in front of 17142 Black Spruce approx 70'				
19-000446			Public Works	10235 LOVETT RD
4/18/2019	7:00 AM	4/18/2019	10:30 AM	Draining Maintenance
Complete			/ Roads Side Ditch Digging	
Req Comment: DIG ROADSIDE DITCH AT 10235 AND 10255 LOVETT RD				
19-000447			Public Works	16907 TENEIYA AVE
4/22/2019	2:30 PM	4/22/2019	5:00 PM	Pot Hole Patching
Complete			/ Fill Potholes	
Req Comment: 1-POTHOLE - TENEIYA @ BLASPIQUE 2-POTHOLE - BLASPIQUE @ CHICKASAW 3-POTHOLE - CHICKASAW @ LIBERTY				
19-000448			Public Works	0 JOOR RD
4/23/2019	8:00 AM		Roadside Mowing	
WO Cancelled			Mowing /	
Req Comment: LA Veg no longer has contract. All work will be done in-house				
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD				
19-000449			Public Works	0 GREENWELL SPRINGS RD
4/23/2019	8:00 AM		Roadside Mowing	0 CENTRAL THRUWAY
WO Cancelled			Mowing /	
Req Comment: LA Veg no longer has contract. All work will be done in-house				
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNER OF GREENWELL SPRING ROAD AND CENTRAL THRUWAY				

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000450	4/23/2019 8:00 AM		Public Works Roadside Mowing Mowing /	0 GREENWELL SPRINGS RD 0 MAGNOLIA BRIDGE RD
WO Cancelled				
Req Comment:	LA Veg no longer has contract. All work will be done in-house			
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD			
19-000451	4/23/2019 8:00 AM		Public Works Roadside Mowing Mowing /	0 GURNEY RD
WO Cancelled				
Req Comment:	LA Veg no longer has contract. All work will be done in-house			
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT			
19-000452	4/23/2019 8:00 AM		Public Works Roadside Mowing Mowing /	0 LOVETT RD
WO Cancelled				
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT			
19-000453	4/19/2019 8:00 AM	4/23/2019 8:00 AM	Public Works Litter Control Pick Up Trash /	CITY WIDE SNIPE
Complete				
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
19-000454	4/29/2019 9:15 AM	4/29/2019 10:34 AM	Public Works Pot Hole Patching / Fill Potholes	0 SILVER SPRINGS
Complete				
Req Comment:	POT HOLE IN CUL DE SAC ON SILVER SPRINGS DR.			
19-000455	4/29/2019 9:30 AM	4/29/2019 10:00 AM	Public Works Off Road Drainage / OFF ROAD WEEDEAT	11272 EVA MAE CT
Complete				
Req Comment:	SWALE DITCH BEHIND H.O. NEEDS CLEANING OUT, POSSIBLY DUG PER H.O. EASIER ACCESS FROM S. IDA The swale ditch between 10225 and 10241 S. Ida Weed eat approximately 50'			
19-000456	4/24/2019 10:00 AM	4/24/2019 1:30 PM	Public Works Culvert Clean Out / Clean Culvert	0 COUNTRY RD
Complete				
Req Comment:	LEAVES BLOCKING THE CULVERTS THAT RUN UNDERNEATH THE COUNTRY ROAD SUBDIVISION ENTRANCE CAUSING WATER TO GO OVER THE ROAD DURING RAIN EVENTS.			
19-000457	4/23/2019 9:20 AM	4/23/2019 10:40 AM	Public Works Draining Maintenance / Clean Culvert	11052 DOWNEY DR
Complete				
Req Comment:	REAR DRAINAGE FOR 11052 DOWNEY HAS LEAVES BLOCKING THE OUTFALL AT ASHTON.			
19-000458	4/23/2019 7:00 AM	4/23/2019 7:05 AM	Public Works Culvert Clean Out / Clean Culvert	19028 MAGNOLIA BEND RD
Complete				
Req Comment:	CULVERT STOPPED UP WITH LEAVES			
19-000459	4/26/2019 11:00 AM	4/26/2019 11:30 AM	Public Works Roadside Mowing ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	13331 WOOD CREEK DR 13331 WOOD CREEK DR
Complete				
Crew Comment:	WEED EAT FRONT DITCH			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000460	4/23/2019 1:00 PM	4/23/2019 1:50 PM	Public Works Traffic Sign Maintenance / Traffic Control - Street	0 HOOPER RD
Complete	Req Comment: STREET SIGN AT HOOPER AND PARK PLACE IS DOWN			
19-000461	4/23/2019 4:30 PM	4/23/2019 5:15 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	0 GURNEY RD
Complete	Req Comment: WEEDEAT ROUNDABOUT AND LITTER CONTROL			
19-000462	4/30/2019 4:00 PM	4/30/2019 5:15 PM	Public Works Storm Drain Repair / Repair Catch Basin	18115 BELLINGRATH LAKES AVE
Complete	Req Comment: CATCH BASIN CAVE IN NO DOTTIE NEEDED			
19-000463	4/24/2019 4:00 PM	4/24/2019 5:00 PM	Public Works Draining Maintenance / Remove Debris	17677 LAWNSIDE AVE
Complete	Req Comment: STORM PREP FOR 4/25/19 RAIN EVENT			
RAKE OUT LEAVES AT CATCH BASIN BETWEEN 17667 AND 17677 LAWNSIDE				
19-000464	4/24/2019 10:30 AM	4/24/2019 4:30 PM	Public Works Pot Hole Patching / Fill Potholes	0 THIBODEAUX RD
Complete	Req Comment: REPAIR POTHOLES AND SHOULDER DROP OFFS			
19-000465	4/26/2019 7:00 AM	4/26/2019 8:30 AM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	0 PERNECIA AVE
Complete	Req Comment: WEEDEAT ROADSIDE DITCH ON VACANT LOT BETWEEN 16631 AND 16701 PERNECIA			
19-000466	4/29/2019 2:30 PM	4/29/2019 3:30 PM	Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT	15315 CHARLESTON DR
Complete	Req Comment: WEEDEAT SIDE DITCH			
19-000467	4/29/2019 2:46 PM	4/29/2019 3:00 PM	Public Works Herbicide Treatment / HERBICIDE TREATMENT	16334 OLD SETTLEMENT
Complete	Req Comment: SPRAY ROADSIDE DITCH			
19-000468	4/26/2019 9:00 AM	4/26/2019 10:45 AM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	14238 DENHAM RD
Complete	Req Comment: CORNER LOT - WEEDEAT ROADSIDE DITCHES ON DENHAM ROAD AND HAMPSHIRE DRIVE.			
19-000469			Public Works Draining Maintenance /	6424 LAWRIDGE DR
Complete	Req Comment: LEAVES COVERING FRONT CATCH BASIN NOT ALLOWING IT TO DRAIN			
19-000470	5/6/2019 12:30 PM	5/6/2019 1:30 PM	Public Works Backfill/Dressup / Resurface	9923 TANGLEWOOD DR
Complete	Req Comment: BACKFILL DRIVEWAY			
19-000471	4/29/2019 11:37 AM	4/29/2019 12:00 PM	Public Works Pot Hole Patching / Fill Potholes	13573 REED AVE
Complete	Req Comment: POT HOLE IN FRONT OF DRIVEWAY			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000472	4/24/2019 4:30 PM	4/24/2019 5:30 PM	Public Works Draining Maintenance / Clean Culvert	10322 MOSS LEA DR
Complete	Req Comment: STORM PREP - 4/25/19 CULVERT COLLAPSING			
19-000473	4/25/2019 8:00 AM	4/29/2019 8:00 AM	Public Works Litter Control Pick Up Trash /	CITY WIDE SNIPE
Complete	Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVAL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
19-000474	4/29/2019 7:00 AM	4/29/2019 9:54 AM	Public Works Draining Maintenance / ROADSIDE WEEDEAT	10915 GLENN WATTS RD
Complete	Req Comment: ROADSIDE DITCH ACROSS FROM ADDRESS LISTED NEEDS TO BE CLEANED, POSSIBLY DUG Weed eat the ditch from 10884 to 10986 Glenn Watts distance of approximately 650'			
19-000476	5/13/2019 10:00 AM	5/13/2019 4:00 PM	Public Works Draining Maintenance / Roads Side Ditch Digging	13737 LOVETT RD
Complete	Req Comment: DIG ROADSIDE DITCH. EMAILED FROM COUNCILMAN MCKINNEY Skim out the ditch for approximately 330' to 13707 Lovett			
19-000477	5/21/2019 8:00 AM	5/21/2019 12:00 PM	Public Works Draining Maintenance / Roads Side Ditch Digging	14249 HEATHERTON AVE
Complete	Req Comment: H.O. WANTS ROADSIDE DITCH DUG REFERRED BY EBR This is a corner lot. The portion of this lot that is on Winslow the ditch does not need to be dug at most it could be weed eat. The portion of this lot on Heatherton needs to be dug out approximately 100'. Flow direction undermined due to concrete bells are facing in both direction			
19-000478	4/30/2019 11:00 AM	4/30/2019 3:00 PM	Public Works Storm Drain Repair / Repair Catch Basin	13617 TECH AVE
Complete	Req Comment: SINKHOLES ON BOTH SIDES OF SIDEWALK BY STORM DRAIN The catch basin on the corner of Dame and Tech has a sink hole. Red dye showed the dye came from catch basin. The storm drain junction box at 13617 Tech was shown by red dye to have leaks in the wall of box. SEAL FROM THE INSIDE AND FLOWABLE FILL			
19-000479	5/2/2019 7:00 AM	5/2/2019 8:31 AM	Public Works Off Road Drainage / Off Road Ditch Digging	12742 RAMBLING OAKS AVE
Complete	Req Comment: H.O. REQUEST THE REAR DRAINAGE DITCH BE CLEANED POSSIBLY DUG The rear ditch has heavy vegetation. This ditch needs to be cleared of the vegetation and dug out to the dead end of Heritage Oaks approximately 130'. CUT SWALE DITCH AT THE REAR OF PROPERTY TO ALLOW THE WATER TO DRAIN.			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
19-000480			Public Works		12420 PARTRIDGEWOOD DR
5/6/2019	7:00 AM	5/6/2019	9:00 AM	Draining Maintenance	
Complete			/ Roads Side Ditch Digging		
Req Comment:	ROADSIDE DITCH DOESN'T DRAIN AND HAS DEBRIS IN IT. MAY NEED TO BE DUG PER H.O.				
The flow issue is between 12430 Partridgewood and Gurney road the ditch needs to be dug out from 12430 Partridgewood and Gurney 25'					
19-000481			Public Works		9584 TANGLEWOOD DR
5/1/2019	9:28 AM	5/1/2019	12:00 PM	Culvert Clean Out	
Complete			/ Roads Side Ditch Digging		
Req Comment:	ROADSIDE DITCH NOT DRAINING - CULVERTS NEED TO BE CLEANED OUT.				
CALL H.O. BEFORE INVESTIGATING					
Dig front ditch out for approximately 50'					
19-000482			Public Works		17122 LAWNSIDE AVE
4/18/2019	9:00 AM	4/18/2019	10:00 AM	Draining Maintenance	
Complete			/ Clean Culvert		
Req Comment:	CORNER LOT - DITCH NEEDS TO BE DUG ON THE CREIGHTON SIDE AND THE NEIGHBORS DITCH ON CREIGHTON SIDE				
Dig the ditch out from Creighton side of 17122 Lawside to 11238 Creighton driveway					
19-000483			Public Works		9460 ARLEEN AVE
4/26/2019	7:00 AM	4/26/2019	8:30 AM	Draining Maintenance	
Complete			/ Clean Culvert		
Req Comment:	ROADSIDE DITCH IS NOT DRAINING DUE TO A CAR CRASH IN THE DITCH OVER THE WEEKEND.				
19-000484			Public Works		6718 BRYCE CANYON DR
5/1/2019	9:00 AM	5/1/2019	2:30 PM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	CORNER LOT - SINKHOLE BY STREET SIGN.				
A sink hole approximately 18' from storm drain junction box and three feet from street sign					
19-000485			Public Works		11565 LOVETT RD
5/9/2019	7:00 AM	5/13/2019	10:00 AM	Draining Maintenance	
Complete			/ Roads Side Ditch Digging		
Req Comment:	1)ROADSIDE DITCH (ABOUT 2 ACRES) NEEDS DEBRIS CLEARED				
2)CATCH BASIN ON THE OTHER SIDE FILLS UP QUICKLY DURING A RAINSTORM AND WATER RUSHES OVER THE DRIVEWAY, WASHING AWAY THE LIMESTONE. CHECK CULVERT AND CATCH BASIN FOR BLOCKAGES.					
Dig out front ditch for approximately 460' at 11565 Lovett to 11661 Lovett					
19-000486			Public Works		0 WAX RD
4/29/2019	1:00 PM	4/29/2019	2:45 PM	Roadside Mowing	0 WAX RD
Complete			Mowing / Mowing		
Crew Comment:	WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD				
19-000487			Public Works		16417 LOVETT RD
4/30/2019	3:45 PM	4/30/2019	3:59 PM	Pot Hole Patching	
Complete			/ Fill Potholes		
Req Comment:	POTHOLE BY THE ADDRESS LISTED				
Not an address on lovett rd					

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000488	4/29/2019 10:36 AM	4/29/2019 11:16 AM	Public Works Pot Hole Patching / Fill Potholes	13820 LOVETT RD
Complete	Req Comment: POTHOLE IN FRONT OF ADDRESS LISTED IN THE CURVE			
19-000489	4/26/2019 7:00 AM	4/26/2019 11:00 AM	Public Works Miscellaneous / Repair or Replace Pipe	9719 BANWAY DR
Complete	Req Comment: REPAIR BROKEN CULVERT			
19-000490	4/29/2019 1:00 PM	4/29/2019 2:30 PM	Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT	13914 OAKBERRY AVE
Complete	Req Comment: WEEDEAT SIDE AND REAR DITCH THEN SPRAY			
19-000491	4/29/2019 10:30 AM	4/29/2019 12:00 PM	Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT	10735 SHOE CREEK DR
Complete	Req Comment: WEEDEAT SIDE DITCH BETWEEN 10735 & 10745 SHOE CREEK			
19-000492	4/29/2019 9:20 AM	4/29/2019 9:43 AM	Public Works Pot Hole Patching / Fill Potholes	0 BELLINGRATH LAKES AVE
Complete	Req Comment: POTHOLE IN TRAFFIC CIRCLE			
19-000493	4/29/2019 3:20 PM	4/29/2019 4:00 PM	Public Works Roadside Mowing Mowing / Trim Vegetation	10943 N OLD SETTLEMENT RD
Complete	Crew Comment: CUT FRONT DITCH			
19-000494	4/26/2019 1:00 PM	4/26/2019 1:30 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	0 JOOR RD
Complete	Req Comment: WEEDEAT AROUND CITY OF CENTRAL SIGN			
19-000495	4/26/2019 1:30 PM	4/26/2019 2:45 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	0 CENTRAL THRUWAY
Complete	Req Comment: WEEDEAT CITY OF CENTRAL SIGN			
19-000496	4/29/2019 7:00 AM	4/29/2019 11:00 AM	Public Works Draining Maintenance / Clean Culvert	0 CHANOVE AVE
Complete	Req Comment: DIG DITCH AND PULL CULVERT			
19-000497	4/29/2019 4:00 PM	4/29/2019 4:30 PM	Public Works Draining Maintenance / Remove Debris	6424 LAWRIDGE DR
Complete	Req Comment: LEAVES COVERING FRONT CATCH BASIN NOT ALLOWING IT TO DRAIN			
19-000498	5/1/2019 3:30 PM	5/1/2019 4:30 PM	Public Works Pot Hole Patching / Fill Potholes	0 WOODS EDGE DR
Complete	Req Comment: NEED ASPHALT ON THE RADIUS CORNER			
19-000499	4/30/2019 7:00 AM	4/30/2019 7:30 AM	Public Works Pot Hole Patching / Fill Potholes	0 DENHAM RD
Complete	Req Comment: POTHOLE NEAR THE INTERSECTION OF DENHAM RD AND EL RANCHITOS			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000500	5/6/2019 7:00 AM	5/6/2019 9:00 AM	Public Works Miscellaneous	12522 LARIAT AVE
Complete	/ Repair or Replace Landscaping			
Req Comment:	EROSION CONTROL - REAR OF PROPERTY			
19-000501	5/6/2019 4:00 PM	5/6/2019 5:00 PM	Public Works Pot Hole Patching	0 FRENCHTOWN RD
Complete	/ Fill Potholes			
Req Comment:	POTHOLE REPAIR FROM ENTRANCE OF GEO JE'S SOUTH IN BOTH LANES			
19-000502	5/1/2019 1:00 PM	5/1/2019 3:00 PM	Public Works Draining Maintenance	10641 NORWAY PINE DR
Complete	/ Remove Debris			
Req Comment:	REAR CANAL - CLEAN DEBRIS			
START AT POWERLINE AND CLEAR DEBRIS AROUND THE CORNER TO BASSWOOD				
19-000503	4/29/2019 4:30 PM	4/30/2019 3:00 PM	Public Works Roadside Weed-eating	7171 SHADY PARK DR
Complete	/ ROADSIDE WEEDEAT			
Req Comment:	ROADSIDE WEEDEATING AT 7171 & 7125 SHADY PARK DR			
19-000504	5/1/2019 8:00 AM	5/1/2019	Public Works Draining Maintenance	17612 ASHTON AVE
Complete	/ Remove Debris			
Req Comment:	SHOVEL OUT THE HIGH POINT CLEAR OUT PIPE AT THE DEAD END			
19-000505	4/30/2019 7:31 AM	4/30/2019 12:10 PM	Public Works Off Road Drainage	11176 HENSON DR
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	WEEDEAT REAR DITCH			
19-000506	4/30/2019 3:45 PM	4/30/2019 4:59 PM	Public Works Off-Road Weedeating/Cleanup	14723 CRYSTAL DR
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	WEEDEAT SIDE DITCH			
19-000507	5/3/2019 7:00 AM	5/3/2019 2:30 PM	Public Works Storm Drain Repair	15341 E BEAVER DR
Complete	/ Repair or Replace Culvert			
Req Comment:	SINKHOLE IN THE CATCH BASIN ON THE CORNER			
19-000508	5/1/2019 2:30 PM	5/1/2019 6:00 PM	Public Works Storm Drain Repair	20825 HOLMES DR
Complete	/ Repair or Replace Pipe			
Req Comment:	SINKHOLE IN DRIVEWAY CLOSEST TO THE WOODEN FENCE - MARKED IN WHITE PAINT			
19-000509	5/1/2019 10:00 AM	5/1/2019 11:00 AM	Public Works Draining Maintenance	10723 HOLLY HOCK DR
Complete	/ Remove Debris			
Req Comment:	CLEAR DEBRIS IN REAR CANAL FROM 10723 HOLLY HOCK TO ROBLE			
19-000510	5/6/2019 9:30 AM	5/6/2019 3:30 PM	Public Works Draining Maintenance	18235 FRENCHTOWN ACRES DR
Complete	/ Off Road Ditch Digging			

Work Order Listing Report

5/28/2019

COMPLETED APRIL 2019

2:01 PM

WO #	Category	Address
Start Date/Time	Problem	Cross Street
Status	Main Task/Task	
Req Comment:	DITCH THAT RUNS BETWEEN 18235 AND 18181 FRENCHTOWN ACRES NEEDS CLEARING ALL THE WAY TO CANAL. HAND CREW WEED EATED THE FRONT SECTION ON 4/8/19 BUT H.O. REQUESTS THE DITCH TO BE CLEARED FARTHER.	
	CALL H.O. BEFORE INVESTIGATION.	
	Clean side ditchfrom end of driveway marked e With paint to bottom of outfall ditch at s curve painted on tree and ground. Homeowner wants dirt . Ditch is on left side of driveway Priority3	
