

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | | | | Category | Address |
|--------------|---|---------------|----------|---------------------------------|---------------------------|
| S. | Date/Time | End Date/Time | | Problem | Cross Street |
| Status | | | | Main Task/Task | |
| 19-000744 | | | | Public Works | 0 FRENCHTOWN RD |
| 8/2/2019 | 2:50 PM | 8/2/2019 | 3:30 PM | Pot Hole Patching | |
| Complete | | | | / Fill Potholes | |
| Req Comment: | SEVERAL LITTLE POTHOLES BETWEEN CENTRAL THRUWAY AND THE BRIDGE ON FRENCHTOWN | | | | |
| 19-000936 | | | | Public Works | 12246 CORE LN |
| 7/17/2019 | 11:00 AM | 8/1/2019 | 1:38 PM | Draining Maintenance | |
| Complete | | | | / Clean Culvert | |
| Req Comment: | CHECK ROADSIDE CULVERTS FROM ADDRESS TO OUTFALL | | | | |
| | Dig from 12206 to 12164 | | | | |
| 19-000938 | | | | Public Works | 13909 LEEANNE DR |
| 8/2/2019 | 7:00 AM | 8/2/2019 | 12:00 PM | Storm Drain Repair | |
| Complete | | | | / Repair or Replace Culvert | |
| Req Comment: | SINKHOLES BY CULVERT | | | | |
| | Two sink holes to the left of the driveway, one is directly next to drive way. 1 sink hole to the right of the driveway | | | | |
| 19-000941 | | | | Public Works | 14023 SPREADING OAKS |
| 8/15/2019 | 7:00 AM | 8/15/2019 | 3:00 PM | Off Road Drainage | |
| Complete | | | | / OFF ROAD WEEDEAT | |
| Req Comment: | REAR DRAINAGE SERVITUDE NOT DRAINING | | | | |
| | Weedeat canal that runs behind spreading oaks | | | | |
| 19-000942 | | | | Public Works | 14255 HAMPSHIRE DR |
| 8/1/2019 | 8:15 AM | 8/12/2019 | 12:00 PM | Off Road Drainage | |
| Complete | | | | / Repair or Replace Landscaping | |
| Req Comment: | CANAL ON THE SIDE OF HER YARD NEEDS REPAIRING. IT APPEARS TO BE COLLAPSING | | | | |
| | CALL HOMEOWNER BEFORE INSPECTION. SHE HAS SEVERAL ISSUES. | | | | |
| | Two locations is eroding spoke with homeowner and told her we will fill with crushed asphalt. Also bring two 5 gallon buckets of dirt | | | | |
| 19-000949 | | | | Public Works | 12831 BRIDLEWOOD DR |
| 8/5/2019 | 7:00 AM | 8/5/2019 | 3:30 PM | Storm Drain Repair | |
| Complete | | | | / Repair or Replace Culvert | |
| Req Comment: | DRIVEWAY IS SINKING AND IS GETTING WORSE | | | | |
| | There are voids under the driveway causing drive way to creak. and sink hole on side of driveway | | | | |
| 19-000960 | | | | Public Works | 14155 DEVALD RD |
| 8/8/2019 | 7:00 AM | 8/8/2019 | 1:00 PM | Off Road Drainage | |
| Complete | | | | / Wash Sign and Trim Vegetation | |
| Req Comment: | OFF ROAD DITCH NEEDS CLEANING ACROSS FROM ADDRESS LISTED. | | | | |
| | GET WITH RAY FOR DETAILS. TRIM BUSHES FOR TRAFFIC TO SEE COMING OUT OF DRIVEWAY | | | | |
| 19-001051 | | | | Public Works | 9540 MAGNOLIA CROSSING DR |
| 8/2/2019 | 2:00 PM | 8/2/2019 | 2:15 PM | Pot Hole Patching | |
| Complete | | | | / Fill Potholes | |
| Req Comment: | POTHOLE ON MAGNOLIA TRACE NEAR THIS ADDRESS | | | | |
| 19-001063 | | | | Public Works | 7250 SHADY PARK DR |
| 8/6/2019 | 7:00 AM | 8/6/2019 | 8:20 AM | Roadside Weed-eating | |
| Complete | | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | | | |
| 19-001071 | | | | Public Works | 15836 CHIVRE AVE |
| 8/13/2019 | 7:00 AM | 8/13/2019 | 3:30 PM | Off-Road Weedeating/Cleanup | |
| Complete | | | | / Trim Vegetation | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Y | Date/Time | End Date/Time | Category | Address |
|--------------|---|----------------|--------------------------------------|------------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| Req Comment: | SIDE DITCH NEEDS WEEDEATING - VEGETATION AND HIGH GRASS | | | |
| | REMOVE EVERYTHING FROM FLOW LINE. LEAVE WHAT IS ON THE BANK OF THE DITCH | | | |
| 19-001073 | | | Public Works | 1463 CENTRAL WOODS AVE |
| 7/31/2019 | 7:00 AM | 7/31/2019 | 3:30 PM Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | | |
| Req Comment: | DRIVEWAY CAVING IN | | | |
| 19-001075 | | | Public Works | 14009 HUNTLEY AVE |
| 8/26/2019 | 9:30 AM | 8/26/2019 | 10:30 AM Off Road Drainage | |
| Complete | / Remove Debris | | | |
| Req Comment: | LIMBS IN THE REAR SERVITUDE NEXT DOOR TO THE ADDRESS LISTED | | | |
| | The top of a dead tree has fallen into swale ditch between 14009 and 13937 Huntley | | | |
| 19-001078 | | | Public Works | 15315 CHARLESTON DR |
| 8/2/2019 | 12:30 PM | 8/6/2019 | 8:30 AM Storm Drain Repair | |
| Complete | / Repair or Replace Landscaping | | | |
| Req Comment: | CATCH BASIN AND DRIVEWAY ARE CAVING IN. | | | |
| | At catch basin on the left facing the house from street side is sink holes and the driveway is undermined with sink holes | | | |
| 19-001086 | | | Public Works | 10621 DURMAST DR |
| 8/6/2019 | 8:30 AM | 8/6/2019 | 12:00 PM Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | | |
| Req Comment: | SINKHOLE BY DRIVEWAY | | | |
| 19-001088 | | | Public Works | 0 LOVETT RD |
| 8/2/2019 | 1:50 PM | 8/2/2019 | 2:00 PM Pot Hole Patching | |
| Complete | / Fill Potholes | | | |
| Req Comment: | POTHOLE IN THE SEMICIRCLE OF WOODS EDGE AND LOVETT | | | |
| 19-001111 | | | Public Works | 15015 BLACKWATER RD |
| 8/16/2019 | 7:00 AM | 8/16/2019 | 9:25 AM Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | | |
| Req Comment: | WEEDEAT REAR DITCH | | | |
| | Clear and weedeat everything in flow line of ditch behind this house and the two adjacent lots. Some thicker brush are in it, will need pitch forks, brush axe, regular axe | | | |
| 19-001112 | | | Public Works | 14314 HOOPER RD |
| 8/14/2019 | 10:00 AM | 8/14/2019 | 12:45 PM Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | | |
| Req Comment: | WEEDEAT AND SPRAY SIDE DITCH | | | |
| 19-001113 | | | Public Works | 12454 JOOR RD |
| 8/16/2019 | 10:00 AM | 8/16/2019 | 11:20 AM Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | | |
| Req Comment: | WEEDEAT AND SPRAY REAR DITCH | | | |
| 19-001120 | | | Public Works | 14101 BECKETT AVE |
| 8/7/2019 | 9:00 AM | 8/7/2019 | 3:30 PM Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | | |
| Req Comment: | CORNER LOT - SINKHOLES ON THE HAMPSHIRE SIDE OF PROPERTY | | | |
| | Two sink holes one approximately 15 feet off driveway and another approximately 20 feet from a catch basin toward Becket | | | |
| 19-001122 | | | Public Works | 0 MORGAN MEADOW AVE |
| 8/2/2019 | 11:00 AM | 8/2/2019 | 11:40 AM Pot Hole Patching | |
| Complete | / Fill Potholes | | | |
| Req Comment: | POTHOLE AT THE INTERSECTION OF MORGAN MEADOW AND SAGEFIELD | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Start Date/Time | End Date/Time | Category | Address |
|--------------|---|---------------|-------------------------------|---------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| 19-001123 | | | Public Works | 5728 LANDMOR DR |
| 7/26/2019 | 10:00 AM | 7/26/2019 | 12:00 PM Draining Maintenance | |
| Complete | | | / Investigate | |
| Req Comment: | CHECK DRIVEWAY CULVERT. HOMEOWNER THINKS IT MAY BE TOO SMALL BECAUSE EVERYONE AROUND HER HAS 15" CULVERTS AND SHE HAS 12" | | | |
| | Open the catch basin at the corner of Landmor and Teah to check for blockages. Remove blockages if needed | | | |
| 19-001124 | | | Public Works | 5728 LANDMOR DR |
| 8/6/2019 | 12:30 PM | 8/6/2019 | Storm Drain Repair | |
| Complete | | | / Repair or Replace Culvert | |
| Req Comment: | CHECK DRIVEWAY CULVERT. HOMEOWNER THINKS IT MAY BE TOO SMALL BECAUSE EVERYONE AROUND HER HAS 15" CULVERTS AND SHE HAS 12" | | | |
| | Sinkhole on the Teah side of the corner lot. | | | |
| 19-001125 | | | Public Works | 12521 TYNEWOOD AVE |
| 8/6/2019 | 8:45 AM | 8/6/2019 | 9:47 AM Roadside Weed-eating | 12521 CONWOOD AVE |
| Complete | | | / ROADSIDE WEEDEAT | 12521 CONWOOD AVE |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | | |
| 19-001126 | | | Public Works | 5433 GOODLAND DR |
| 8/1/2019 | 2:30 PM | 8/1/2019 | 3:30 PM Off Road Drainage | |
| Complete | | | / Clean Ditch | |
| Req Comment: | CHECK REAR SERVITUDE AND DRAINAGE | | | |
| | Rear servitude ditch needs underbrush removed.also trash and logs. Need saws and equipment with thumb Priority3 | | | |
| 19-001127 | | | Public Works | 15802 DENHAM RD |
| 7/31/2019 | 10:00 AM | 7/31/2019 | 1:30 PM Draining Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | H.O. WANTS FRONT DITCH DUG | | | |
| | Skim out ditch between 15802 & 15810 Denham's driveway . 100' | | | |
| 19-001128 | | | Public Works | 0 GURNEY RD |
| 7/31/2019 | 1:30 PM | 7/31/2019 | 3:30 PM Draining Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | CHECK CATCH BASINS AT THE ROUNDABOUT FOR BLOCKAGES. H.O. LIVES ON THE CORNER WITH THE POND. | | | |
| | Referred ditch on Joor to EBR | | | |
| | Ditch on the other side of property (12547 GURNEY) @ the neighbor driveway need to be dug out full of vegetation | | | |
| 19-001130 | | | Public Works | 11711 WILD ROSE DR |
| 8/16/2019 | 7:00 AM | 8/16/2019 | 12:00 PM Storm Drain Repair | |
| Complete | | | / Repair or Replace Culvert | |
| Req Comment: | SINKHOLE IN THE REAR OF THE PROPERTY. INVESTIGATE TO SEE IF PREVIOUS REPAIR FAILED OR IF WE JUST NEED BACKFILL | | | |
| | REPAIR FAILED | | | |
| 19-001132 | | | Public Works | 10847 STONE PINE DR |
| 8/1/2019 | 7:00 AM | 8/1/2019 | 3:30 PM Storm Drain Repair | |
| Complete | | | / Repair or Replace Culvert | |
| Req Comment: | DRIVEWAY CAVING IN | | | |
| | Driveway undermined and broke up over culvert | | | |
| 19-001134 | | | Public Works | 14372 FESTUS DR |
| 8/12/2019 | 7:00 AM | 8/12/2019 | 8:15 AM Litter Control | |
| Complete | | | / Remove Debris | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Date/Time | End Date/Time | Category | Address |
|--|-------------------|--------------------|---|--------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| Req Comment: SENT BY CENTRAL CODE ENFORCEMENT | | | | |
| PICKUP RUBBISH LOCATED AT THE DEADEND - HOT TUB AND DEBRIS | | | | |
| 19-001135 | 8/5/2019 10:30 AM | 8/5/2019 12:00 PM | Public Works Roadside Weed-eating | 0 CENTRAL PINE DR |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: ROADSIDE DITCHES ON CENTRAL PINE IN CENTRAL WOODS NEED WEEDEATING | | | | |
| 19-001139 | 8/5/2019 8:50 AM | 8/5/2019 10:00 AM | Public Works Roadside Weed-eating | 0 WAX RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | 0 WAX RD |
| Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD | | | | |
| 19-001142 | 8/7/2019 7:00 AM | 8/7/2019 3:30 PM | Public Works Off-Road Weedeating/Cleanup | 12636 SULLIVAN RD |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: weed eat the ditch that runs behind Central intermediate school | | | | |
| 19-001143 | 8/12/2019 1:30 PM | 8/14/2019 12:00 PM | Public Works Storm Drain Repair | 13719 TRIPLE B RD |
| Complete | | | / Repair or Replace Culvert | |
| Req Comment: PREVIOUS REPAIR FAILED. WILL NEED BACKFILL | | | | |
| Cave in over storm drain . Dye test revealed storm drain leak. Also needs backfill on previous repairs. Priority 3 | | | | |
| 19-001144 | 8/9/2019 7:00 AM | 8/5/2019 7:45 AM | Public Works Roadside Weed-eating | 6315 TEAH DR |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 19-001145 | 8/14/2019 1:00 PM | 8/14/2019 3:30 PM | Public Works Off-Road Weedeating/Cleanup | 16272 HUBBS RD |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: WEEDEAT AND SPRAY REAR DITCH | | | | |
| 19-001148 | 8/2/2019 12:30 PM | 8/5/2019 3:30 PM | Public Works Culvert Clean Out | 9477 LANSLOWNE RD |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: CULVERTS UNDER BOTH ENTRANCES TO THE TRAILER PARK NEED CLEANED OUT. | | | | |
| Both driveway culverts need to be torpedo The ditch between driveways need to be dug out Each ditch need to be dug out from each direction xto where gravity flow takes over | | | | |
| 19-001149 | 8/2/2019 9:30 AM | 8/2/2019 12:00 PM | Public Works Culvert Clean Out | 14622 WINSLOW DR |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: NEED CULVERTS CLEANED OUT AT 14316 AND 14336 WINSLOW | | | | |
| Skim out ditch at 14316 & 14336 Winslow and pull culverts | | | | |
| 19-001152 | 8/7/2019 7:00 AM | 8/7/2019 9:00 AM | Public Works Draining Maintenance | 5909 THIBODCAUX RD |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: H.O. WANTS ROADSIDE DITCH DUG | | | | |
| The front ditch needs digging out App 75' | | | | |
| 19-001153 | 8/5/2019 7:50 AM | 8/5/2019 8:50 AM | Public Works Off Road Drainage | 9918 TRENDALD DR |
| Complete | | | / OFF ROAD WEEDEAT | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Date/Time | End Date/Time | Category | Address |
|--------------|--|-------------------|--------------------------------------|-------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| Req Comment: | CONCRETE DITCH RUNNING THRU BILTMORE NEEDS TO BE CLEARED/CLEANED. WEEDS GROWING | | | |
| | CALL H.O. AFTER INVESTIGATING. | | | |
| | Concrete ditch between Trendale & Banway needs weeds cut | | | |
| 19-001154 | 8/5/2019 7:00 AM | 8/5/2019 9:45 AM | Public Works Storm Drain Repair | 10652 BIG SUR DR |
| Complete | / Repair or Replace Culvert | | | |
| Req Comment: | SINKHOLE OVER CULVERT IN THE FRONT YARD | | | |
| | Sink hole on side of 10714 Big Sur next to 10652 Big Sur | | | |
| 19-001155 | 8/9/2019 7:00 AM | 8/12/2019 3:30 PM | Public Works Off Road Drainage | 13227 DORSET AVE |
| Complete | / OFF ROAD WEEDEAT | | | |
| Req Comment: | REAR DRAINAGE SERVITUDE NEEDS TO BE CLEANED AND ALSO HAS A TREE DOWN IN SERVITUDE | | | |
| | A large oak tree has fallen into canal blocking half of canal This tree is behind 13145 Dorset | | | |
| 19-001156 | | | Public Works Off Road Drainage | 13944 OAK TREE DR |
| Complete | / | | | |
| Req Comment: | CLEAN OUT REAR CANAL OF DEBRIS AND NEEDS TO BE DUG | | | |
| | Cut weeds in rear ditch from 12925 N Oak to 13742 Wild Oak | | | |
| | CLOSE OUT. MAYOR'S DRAINAGE PROJECT | | | |
| 19-001158 | 8/6/2019 1:50 PM | 8/6/2019 3:30 PM | Public Works Off Road Drainage | 14157 LOVETT RD |
| Complete | / ROADSIDE WEEDEAT | | | |
| Req Comment: | CLEAN OUT SIDE DITCH BETWEEN 14157 AND 14167 LOVETT RD. INSPECT TAIL LINE DITCH. | | | |
| | clear from tail line to roadside ditch at culvert. | | | |
| 19-001161 | 8/6/2019 7:00 AM | 8/6/2019 1:50 PM | Public Works Draining Maintenance | 16777 BUCKNER DR |
| Complete | / Roads Side Ditch Digging | | | |
| Req Comment: | DITCH IS SILTED IN TO THE RIGHT OF THE DRIVEWAY (ON CHRISTOPHER) | | | |
| | CORNER LOT - START AT THE PROPERTY LINE ON CHRISTOPHER AND DIG ALL THE WAY AROUND TO THE CROSS CULVERT OF BUCKNER. TORPEDO CROSS CULVERT IF WE CAN. | | | |
| 19-001162 | 8/1/2019 12:30 PM | 8/1/2019 3:30 PM | Public Works Pot Hole Patching | 0 EMPRESS DR |
| Complete | / Fill Potholes | | | |
| Req Comment: | POTHOLES - 3 | | | |
| 19-001163 | 8/1/2019 1:30 PM | 8/1/2019 2:30 PM | Public Works Culvert Clean Out | 6433 LAWRIDGE DR |
| Complete | / Clean Culvert | | | |
| Req Comment: | CULVERT AT 6443 LAWRIDGE IS CLOGGED | | | |
| | pull culvert. weedeat ditch | | | |
| 19-001164 | 8/2/2019 7:00 AM | 8/2/2019 8:30 AM | Public Works Pot Hole Patching | 0 BROWN RD |
| Complete | / Fill Potholes | | | |
| Req Comment: | POTHOLES | | | |
| 19-001165 | 8/2/2019 8:30 AM | 8/2/2019 10:30 AM | Public Works Pot Hole Patching | 0 CAREY RD |
| Complete | / Fill Potholes | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Date/Time | End Date/Time | Category | Address |
|---------------|--|---------------|-------------------------------------|-------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| Req Comment: | POTHOLES | | | |
| 19-001166 | | | Public Works | 0 DEVALL RD |
| 8/2/2019 | 10:30 AM | 8/2/2019 | 10:50 AM Roadside Weed-eating | |
| Complete | | | / Trim Vegetation | |
| Req Comment: | CAN NOT SEE BECAUSE OF VEGETATION/UNDERBRUSH AT THE INTERSECTION OF DEVALL AND HOOPER. PLEASE INVESTIGATE WHO'S RESPONSIBILITY IT IS. | | | |
| | the corner of the lot needs to be trimmed back on the devall side. | | | |
| 19-001167 | | | Public Works | 13338 ACRES CT |
| 8/6/2019 | 2:15 PM | 8/6/2019 | 2:45 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH - BOTH SIDES OF THE DRIVEWAY | | | |
| 19-001168 | | | Public Works | CITY WIDE SNIPE |
| 8/5/2019 | 7:00 AM | 8/5/2019 | 10:00 AM Litter Control | |
| Complete | | | Pick Up Trash / Pick Up Trash | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 19-001169 | | | Public Works | 13721 HOOPER RD |
| 8/5/2019 | 12:30 PM | 8/5/2019 | 1:00 PM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: | WEED EAT IN FRONT OF CITY HALL | | | |
| Crew Comment: | WEED EAT IN FRONT OF CITY HALL | | | |
| 19-001170 | | | Public Works | 9477 LANSDOWNE RD |
| 8/5/2019 | 11:30 AM | 8/6/2019 | 10:00 AM Storm Drain Repair | |
| Complete | | | / Repair or Replace Culvert | |
| Req Comment: | STORM DRAIN REPAIR ON CULVERT | | | |
| 19-001171 | | | Public Works | 15259 DENHAM RD |
| 8/6/2019 | 11:30 AM | 8/6/2019 | 12:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | | |
| | Weedeat the roadside ditch of 15259 denham. The ditch starts at Wilmington | | | |
| 19-001172 | | | Public Works | 14238 DENHAM RD |
| 8/6/2019 | 11:00 AM | 8/6/2019 | 11:37 AM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | CORNER LOT - WEEDEAT ROADSIDE DITCH ON DENHAM RD AND HAMPSHIRE SIDE | | | |
| | Weedeat the ditches on hampshire and denham | | | |
| 19-001175 | | | Public Works | 16621 WEYANOKE DR |
| 8/19/2019 | 7:00 AM | 8/19/2019 | 10:00 AM Draining Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | ROADSIDE DITCH DIGGING | | | |
| | TALK TO RAY/DAVID ABOUT WHICH ADDRESSES NEED TO BE DUG | | | |
| 19-001177 | | | Public Works | 0 CHAMBORD DR |
| 8/19/2019 | 8:00 AM | 8/14/2019 | 8:45 AM Draining Maintenance | |
| Complete | | | / Remove Debris | |
| Req Comment: | DRAINAGE ISSUES AT THE INTERSECTION OF CHAMBORD AND CHANOVE. CULVERTS BLOCKED WITH DEBRIS | | | |
| | The culvert at Chambord and Chance is blocked from rip and rap | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Start Date/Time | End Date/Time | Category | Address |
|-------------------|---|----------------------|----------------------|
| Status | Problem | Main Task/Task | Cross Street |
| 19-001178 | | Public Works | 14178 LOVETT RD |
| 8/5/2019 3:00 PM | 8/5/2019 3:30 PM | Miscellaneous | |
| Complete | / Remove Debris | | |
| Req Comment: | THERE IS A LARGE METAL OBJECT TO THE LEFT ON THE SHOULDER (SEPTIC TANK TOP MAYBE?) | | |
| 19-001179 | | Public Works | 12902 DENHAM RD |
| 8/6/2019 10:30 AM | 8/6/2019 11:00 AM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | |
| | Weedeat the roadside ditches | | |
| 19-001180 | | Public Works | 14920 PINEWOOD DR |
| 8/6/2019 1:45 PM | 8/6/2019 2:15 PM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | |
| | Weedeat the roadside ditch. It's the first house on the right as soon as you cross the bridge | | |
| 19-001181 | | Public Works | 0 PERNECIA AVE |
| 8/6/2019 12:53 PM | 8/6/2019 1:45 PM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT ROADSIDE DITCH FROM THE INTERSECTIO OF APACHE AND PERNECIA TO THE BREC PARK | | |
| 19-001182 | | Public Works | 14909 BLACKWATER RD |
| 8/6/2019 2:45 PM | 8/6/2019 3:30 PM | Off Road Drainage | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT CANAL NEXT DOOR AT THE BRIDGE. H.O. CAN NOT SEE PULLING OUT HIS DRIVEWAY | | |
| 19-001183 | | Public Works | 16706 PLANCHET RD |
| 8/7/2019 7:00 AM | 8/7/2019 2:00 PM | Draining Maintenance | |
| Complete | / Roads Side Ditch Digging | | |
| Req Comment: | H.O. WANTS ROADSIDE DITCH DUG | | |
| | The sewer line effluent discharge point is under water. Facing the house the ditch needs to be skimmed There are two catch basins in front of 16758 Planchette that need debris removed from them. Skim out ditch in front of 16706 Planchette at large pine stump. | | |
| 19-001184 | | Public Works | 8503 SULLY DR |
| 8/23/2019 7:00 AM | 8/23/2019 1:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | |
| Req Comment: | SINKHOLES AROUND THE CULVERT | | |
| | CALL H.O. BEFORE INVESTIGATION | | |
| | From the driveway 8', 37, 49, 52, 54 feet are sink holes | | |
| 19-001185 | | Public Works | 6817 BRYCE CANYON DR |
| 8/19/2019 9:00 AM | 8/19/2019 3:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | |
| Req Comment: | SINKHOLES IN THE FRONT YARD MARKED WITH SPRAY PAINT | | |
| | Sink holes at 3 catch basins and near one light pole | | |
| 19-001186 | | Public Works | 11742 LOVETT RD |
| 8/8/2019 7:00 AM | 8/8/2019 2:00 PM | Pot Hole Patching | |
| Complete | / Repair or Replace Culvert | | |
| Req Comment: | ROAD REPAIR | | |
| 19-001187 | | Public Works | 6203 DONNYBROOK AVE |
| 8/12/2019 7:00 AM | 8/12/2019 1:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Culvert | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Status | Date/Time | End Date/Time | Category | Problem | Main Task/Task | Address | Cross Street |
|-----------|---------------|---|---------------|----------------------|---------|----------------|---------|----------------------|
| | Req Comment: | DRIVEWAY CULVERT COLLAPSING SINKHOLES | | | | | | |
| | | The driveway is undermined and has void another sink hole is approximately 10' from catch basin | | | | | | |
| 19-001188 | | | | Public Works | | | 9477 | LANSDOWNE RD |
| 8/7/2019 | 2:00 PM | 8/8/2019 | 3:00 PM | Tree Removal | | | | |
| Complete | | / Remove Debris | | | | | | |
| | Req Comment: | REMOVE TREE DEBRIS FROM SERVITUDE | | | | | | |
| 19-001189 | | | | Public Works | | | 14238 | DENHAM RD |
| 8/7/2019 | 2:00 PM | 8/7/2019 | 3:30 PM | Roadside Weed-eating | | | | |
| Complete | | / ROADSIDE WEEDEAT | | | | | | |
| | Req Comment: | WE DID NOT WEEDEAT THE HAMPSHIRE SIDE ALL THE WAY TO THE END OF FENCE (PROPERTY LINE). WEEDEAT ROADSIDE DITCH ON HAMPSHIRE SIDE. | | | | | | |
| 19-001190 | | | | Public Works | | | 14051 | NORTHEAST ST |
| 8/8/2019 | 1:00 PM | 8/9/2019 | 10:30 AM | Draining Maintenance | | | | |
| Complete | | / ROADSIDE WEEDEAT | | | | | | |
| | Req Comment: | MO-DAD TAIL LINE STOPPED UP. | | | | | | |
| 19-001191 | | | | Public Works | | | 6857 | MICAH'S WAY |
| 8/9/2019 | 2:00 PM | 8/9/2019 | 2:45 PM | Backfill/Dressup | | | | |
| Complete | | / Resurface | | | | | | |
| | Req Comment: | BACKFILL REPAIR BY WATER METERS | | | | | | |
| 19-001192 | | | | Public Works | | | 0 | JOOR RD |
| 8/8/2019 | 2:30 PM | 8/8/2019 | 2:48 PM | Roadside Weed-eating | | | | |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | | | | | | |
| | Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD | | | | | | |
| 19-001193 | | | | Public Works | | | 0 | GREENWELL SPRINGS RD |
| 8/12/2019 | 9:15 AM | 8/12/2019 | 10:20 AM | Roadside Weed-eating | | | 0 | MAGNOLIA BRIDGE RD |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | | | | | | |
| | Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD | | | | | | |
| 19-001194 | | | | Public Works | | | 0 | GURNEY RD |
| 8/9/2019 | 2:30 PM | 8/9/2019 | 3:15 PM | Roadside Weed-eating | | | 0 | GURNEY RD |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | | | | | | |
| | Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | | | | |
| 19-001195 | | | | Public Works | | | 0 | LOVETT RD |
| 8/13/2019 | 1:50 PM | 8/13/2019 | 1:59 PM | Roadside Weed-eating | | | 0 | LOVETT RD |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | | | | | | |
| | Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | | | | |
| 19-001196 | | | | Public Works | | | 10131 | SHOE CREEK DR |
| 8/9/2019 | 7:00 AM | 8/9/2019 | 2:00 PM | Off Road Drainage | | | | |
| Complete | | / Remove Debris | | | | | | |
| | Req Comment: | SEVERAL ISSUES | | | | | | |
| | | 1-DEAD TREE ACROSS REAR CANAL AT NEIGHBORS BACK YARD 2-EROSION BEHIND THIS ADDRESS ALONG THE REAR CANAL 3-SHE REQUESTED THE WHOLE CANAL TO BE CLEANED OUT | | | | | | |
| | | There is total blockage of canal Two oak trees are growing the canal catching drift causing blockage Some erosion of top of bank | | | | | | |
| 19-001197 | | | | Public Works | | | 0 | MORGAN RD |
| 8/16/2019 | 11:45 AM | 8/16/2019 | 3:30 PM | Off Road Drainage | | | | |
| Complete | | / OFF ROAD WEEDEAT | | | | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Start Date/Time | End Date/Time | Category | Address |
|---|--------------------|-------------------------------------|---------------------------|
| Status | Problem | Main Task/Task | Cross Street |
| Req Comment: DITCH THAT RUNS BETWEEN MORGAN SPRINGS AND COVENTRY APTS IS OVERGROWN. H.O. WANTS THE DITCH DUG IF POSSIBLE. | | | |
| High vegetation needs cutting | | | |
| 19-001198 | | Public Works | 17114 GREY BIRCH AVE |
| 8/19/2019 7:00 AM | 8/19/2019 9:00 AM | Storm Drain Repair | |
| Complete | | / Repair Catch Basin | |
| Req Comment: CORNER LOT - SINKHOLE BY WOOD FENCE CLOSE TO THE ROAD. | | | |
| Sink hole next to catch basin along Durmast | | | |
| 19-001199 | | Public Works | 17608 PLANCHET RD |
| 8/14/2019 9:40 AM | 8/14/2019 9:55 AM | Off-Road Weedeating/Cleanup | |
| Complete | | / OFF ROAD WEEDEAT | |
| Req Comment: OFF ROAD DITCH THAT CONNECTS TO CROSS PIPE UNDER PLANCHET NEEDS ADDRESSING. WEEDEAT OR DIGGING? | | | |
| Weed eat off road ditch to tree line 100' | | | |
| 19-001200 | | Public Works | 18366 KEYSTONE AVE |
| 8/14/2019 12:30 PM | 8/15/2019 3:30 PM | Storm Drain Repair | |
| Complete | | / Repair or Replace Culvert | |
| Req Comment: CORNER LOT - SINKHOLES AT THE INTERSECTION OF TEAH AND KEYSTONE AND ON THE KEYSTONE SIDE. | | | |
| Sink hole at catch basin near sewer man hole | | | |
| 19-001201 | | Public Works | 13835 HUNTLEY AVE |
| 8/14/2019 12:30 PM | 8/29/2019 1:30 PM | Backfill/Dressup | |
| Complete | | / Resurface | |
| Req Comment: BACKFILL ON DRIVEWAY | | | |
| 19-001202 | | Public Works | 6249 THIBODEAUX RD |
| 8/26/2019 10:30 AM | 8/26/2019 12:00 PM | Litter Control | |
| Complete | | / Clean Ditch | |
| Req Comment: CLEAR DEBRIS FROM CANAL THAT RUNS BESIDE AND BEHIND THIS ADDRESS | | | |
| 19-001203 | | Public Works | 18233 KEYSTONE AVE |
| 8/15/2019 7:00 AM | 8/15/2019 2:00 PM | Draining Maintenance | |
| Complete | | / Roads Side Ditch Digging | |
| Req Comment: CORNER LOT - DIG ROADSIDE DITCH ON BRIDGEPORT SIDE | | | |
| 19-001204 | | Public Works | 0 BROWN RD |
| 8/23/2019 12:00 PM | 8/23/2019 3:30 PM | Roadside Weed-eating | |
| Complete | | / Remove Debris | |
| Req Comment: WEEDEAT AND CLEAR DEBRIS FROM THE ROADSIDE DITCHES ON NORTH BROWN RD (NORTH OF DYER) | | | |
| stop @ 16328 Brown | | | |
| 19-001205 | | Public Works | 10943 N OLD SETTLEMENT RD |
| 8/13/2019 1:15 PM | 8/13/2019 1:45 PM | Roadside Weed-eating | |
| Complete | | ROADSIDE WEEDEAT / Trim Vegetation | |
| Crew Comment: WEEDEAT FRONT DITCH | | | |
| 19-001206 | | Public Works | 0 WAX RD |
| 8/12/2019 1:30 PM | 8/12/2019 3:30 PM | Roadside Weed-eating | 0 WAX RD |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD | | | |
| 19-001207 | | Public Works | CITY WIDE SNIPE |
| 8/12/2019 7:00 AM | 8/12/2019 12:00 PM | Litter Control | |
| Complete | | Pick Up Trash / Pick Up Trash | |
| Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Start Date/Time | End Date/Time | Category Problem Main Task/Task | Address Cross Street |
|--|--------------------|---------------------------------------|---------------------------|
| Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 19-001208 | | Public Works | 13721 HOOPER RD |
| 8/12/2019 10:30 AM | 8/12/2019 11:15 AM | Roadside Weed-eating | |
| Complete | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: WEED EAT IN FRONT OF CITY HALL | | | |
| Crew Comment: WEED EAT IN FRONT OF CITY HALL | | | |
| 19-001209 | | Public Works | 6368 MORGAN RD |
| 8/12/2019 7:00 AM | 8/12/2019 8:15 AM | Roadside Weed-eating | |
| Complete | | / ROADSIDE WEEDEAT | |
| Req Comment: AT THE INTERSECTION OF MORGAN AND THIBODEAUX, THE DITCH LOCATED RIGHT AFTER THE SPLIT ON THE RIGHT HAND SIDE OF MORGAN RD NEEDS TO BE CLEANED OUT (WEEDEATED) | | | |
| Weedeat the ditch across the street across the street from 6474 Morgan rd | | | |
| 19-001210 | | Public Works | 5983 LANDMOR DR |
| 8/19/2019 7:00 AM | 8/19/2019 2:00 PM | Off-Road Weedeating/Cleanup | |
| Complete | | / OFF ROAD WEEDEAT | |
| Req Comment: REAR DITCH NEEDS TO BE WEEDEATED AND SPRAY. WHOLE DITCH | | | |
| Weedeat and spray ditch from behind 5983 Landmor to Bridgeport dr, approximately 985 feet. Area is stick will need brush axe and blades weedeater | | | |
| 19-001211 | | Public Works | 18235 FRENCHTOWN ACRES DR |
| 8/19/2019 9:00 AM | 8/14/2019 9:32 AM | Off-Road Weedeating/Cleanup | |
| Complete | | / OFF ROAD WEEDEAT | |
| Req Comment: SIDE DITCH NEEDS WEEDEATING | | | |
| weedeat side ditch | | | |
| 19-001212 | | Public Works | 0 WAX RD |
| 8/20/2019 1:30 PM | 8/20/2019 3:30 PM | Litter Control | |
| Complete | | / Pick Up Trash | |
| Req Comment: PICKUP DEBRIS AND CLEAR THE MOUTHS OF CULVERTS ON OLD WAX RD FROM WAX TO GREENWELL SPRINGS RD | | | |
| Remove limbs out of flow line of ditch, and clear mouth of culverts | | | |
| 19-001213 | | Public Works | 17044 ASHTON AVE |
| 9/28/2019 2:00 PM | 9/28/2019 3:30 PM | Herbicide Treatment | |
| Complete | | / OFF ROAD WEEDEAT | |
| Req Comment: CLEAN DEBRIS AND HERBICIDE MAIN CANAL ON THE SIDE OF THE PROPERTY | | | |
| Spray the ditch next to address and behind address and remove the few limbs from ditch | | | |
| 19-001214 | | Public Works | 7252 SHADY PARK DR |
| 8/13/2019 2:00 PM | 8/13/2019 2:15 PM | Roadside Weed-eating | |
| Complete | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | |
| weedeat roadside ditch | | | |
| 19-001215 | | Public Works | 0 WASHINGTON LN |
| 8/14/2019 1:00 PM | 8/14/2019 3:30 PM | Tree Removal | |
| Complete | | / High Tree Limb Removal | |
| Req Comment: TRIM LOW HANGING LIMBS ON WASHINGTON LANE | | | |
| Several locations need limbs cut, a lot of limbs are growing from the sides and impeding the roadway | | | |
| 19-001216 | | Public Works | 0 CHARLESTON DR |
| 8/21/2019 11:00 AM | 8/21/2019 11:30 AM | Pot Hole Patching | |
| Complete | | / Fill Potholes | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Work Order Number | Date/Time | End Date/Time | Category | Problem | Address |
|--|----------------|---------------|--------------|-----------------------------|------------------------|
| Status | Main Task/Task | | | Cross Street | |
| Req Comment: POTHOLE AT THE INTERSECTION OF CHARLESTON AND RUSSETT | | | | | |
| 19-001217 | | | Public Works | | 14737 W BEAVER DR |
| 8/12/2019 | 11:15 AM | 8/12/2019 | 11:45 AM | Roadside Weed-eating | |
| Complete | | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | | |
| weedeat ditch | | | | | |
| 19-001218 | | | Public Works | | 14213 GEMINI DR |
| 8/13/2019 | 12:30 PM | 8/13/2019 | 1:15 PM | Roadside Weed-eating | |
| Complete | | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | | |
| 19-001219 | | | Public Works | | 17291 HOOPER RD |
| 8/26/2019 | 7:00 AM | 8/26/2019 | 9:00 AM | Draining Maintenance | |
| Complete | | | | / Remove Debris | |
| Req Comment: OBSTRUCTION IN ROADSIDE DITCH | | | | | |
| Blockage in canal that runs along Hooper rd | | | | | |
| 19-001220 | | | Public Works | | 11646 D'EVERAUX AVE |
| 8/16/2019 | 1:30 PM | 8/16/2019 | 3:30 PM | Storm Drain Repair | |
| Complete | | | | / Repair or Replace Culvert | |
| Req Comment: SEAL THE LIFTING EYE ON THE LEFT HAND SIDE OF THE DRIVEWAY | | | | | |
| 19-001221 | | | Public Works | | 13724 MARLIN AVE |
| 8/16/2019 | 12:30 PM | 8/16/2019 | 1:30 PM | Storm Drain Repair | |
| Complete | | | | / Repair or Replace Culvert | |
| Req Comment: SINKHOLE FORMING IN FRONT YARD | | | | | |
| Catch basins on each side has sink holes at them | | | | | |
| Close out. Wrong address. | | | | | |
| 19-001222 | | | Public Works | | 0 BROWN RD |
| 8/14/2019 | 7:00 AM | 8/14/2019 | 1:00 PM | Tree Removal | |
| Complete | | | | / High Tree Limb Removal | |
| Req Comment: CUT LOW HANGING LIMBS FROM THE ROAD | | | | | |
| 19-001223 | | | Public Works | | 15288 EL RANCHITOS AVE |
| 8/20/2019 | 9:00 AM | 8/20/2019 | 12:00 PM | Draining Maintenance | |
| Complete | | | | / Roads Side Ditch Digging | |
| Req Comment: ROADSIDE DITCH NEEDS TO BE CLEANED. WATER BACKS UP | | | | | |
| The flow is from 15288 towards the dead end. At the corner of 15288 and 15210 a cross drain goes under the road to go between 15287 and 15237. Skim out ditch from 15288 El Ranchito drive way to cross drain. | | | | | |
| 19-001224 | | | Public Works | | 14704 CRYSTAL DR |
| 8/19/2019 | 10:00 AM | 8/19/2019 | 12:00 PM | Off Road Drainage | |
| Complete | | | | / Off Road Ditch Digging | |
| Req Comment: REAR DITCH CULVERT IS FULL OF DIRT DITCH TO THE RIGHT OF CULVERT NEEDS TO BE DUG | | | | | |
| DIG SWELL DITCH. TALK TO RAY | | | | | |
| 19-001225 | | | Public Works | | 6032 N BRISTLE CONE CT |
| 8/19/2019 | 12:30 PM | 8/19/2019 | 2:30 PM | Draining Maintenance | |
| Complete | | | | / Roads Side Ditch Digging | |
| Req Comment: DITCH HOLDS WATER. NEXT DOOR'S CULVERT MAY BE CLOGGED. | | | | | |
| Skim out ditch in front of 6022 N Bristle Cone to cross drain at 6012 N Bristle Cone | | | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| W.O. # | Date/Time | End Date/Time | Category | Problem | Address |
|--------------|--|--------------------|----------------------------|-----------------------------|----------------------|
| Status | | | Main Task/Task | | Cross Street |
| 19-001226 | 8/21/2019 9:30 AM | 8/21/2019 2:30 PM | Public Works | Roadside Weed-eating | 0 HOOPER RD |
| Complete | | | ROADSIDE WEEDEAT / Mowing | | |
| Req Comment: | WEEDEAT MEDIAN ON HOOPER RD FROM COMITE RIVER TO 9783 HOOPER RD | | | | |
| 19-001227 | 8/20/2019 7:00 AM | 8/28/2019 9:00 AM | Public Works | Draining Maintenance | 14209 DENHAM RD |
| Complete | | | / Roads Side Ditch Digging | | |
| Req Comment: | SEE MAP ATTACHED. DITCH DIGGING ON DENHAM RD. | | | | |
| | DIG ONLY THE DITCHES THAT NEED IT FROM HUNTINGTON PARK ENTRANCE (HAMPSHIRE DR.) TO THE OUTFALL AT BEAVER BAYOU (NEXT TO 14570 DENHAM RD) | | | | |
| 19-001228 | 9/29/2019 12:30 PM | 9/29/2019 1:30 PM | Public Works | Off-Road Weedeating/Cleanup | 13914 OAKBERRY AVE |
| Complete | | | / OFF ROAD WEEDEAT | | |
| Req Comment: | WEEDEAT AND SPRAY SERVITUDE - SIDE AND BACK | | | | |
| | take side by side and spray the side and rear ditch of property--- Aaron will do this one | | | | |
| 19-001229 | 8/21/2019 11:30 AM | 8/21/2019 12:00 PM | Public Works | Pot Hole Patching | 0 CHENNAULT WAY |
| Complete | | | / Fill Potholes | | |
| Req Comment: | POTHOLE AT THE INTERSECTION OF CHENNAULT WAY AND WEST WATERSIDE DR. | | | | |
| | pot hole | | | | |
| 1 230 | 8/20/2019 10:00 AM | 8/20/2019 1:30 PM | Public Works | Roadside Weed-eating | 0 LEEANNE DR |
| Complete | | | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT OVERGROWN ROADSIDE DITCHES ON LEEANNE | | | | |
| | Several ditches need weedeating, some real overgrown | | | | |
| | Weedeat ditches @ | | | | |
| | 13840 | | | | |
| | 13841 | | | | |
| | 13850 | | | | |
| | 13860 | | | | |
| | Ditches across from trailer park | | | | |
| | 13909 | | | | |
| | 14019 | | | | |
| | Across from 14138 | | | | |
| | 14261 | | | | |
| | And the ditches both sides of sully@ Leanne | | | | |
| 19-001231 | 9/28/2019 10:00 AM | 9/28/2019 10:30 AM | Public Works | Roadside Weed-eating | 16334 OLD SETTLEMENT |
| Complete | | | / ROADSIDE WEEDEAT | | |
| Req Comment: | HERBICIDE AND WEEDEAT ROADSIDE DITCH | | | | |
| | spray the flow line of the ditch | | | | |
| 19-001232 | 8/21/2019 10:30 AM | 8/21/2019 11:00 AM | Public Works | Pot Hole Patching | 0 CHICKASAW AVE |
| Complete | | | / Fill Potholes | | |
| Req Comment: | LARGE POTHOLE ON CHICKASAW | | | | |
| | 1 ph on chickisaw | | | | |
| 19-001233 | 8/21/2019 10:30 AM | 8/21/2019 12:00 PM | Public Works | Off-Road Weedeating/Cleanup | 0 RIFLE DR |
| Complete | | | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT BIG CANAL ON BOTH SIDES OF RIFLE | | | | |
| | Weedeat both sides of rifle @ the crossdrain | | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| W | Category | Address | |
|--------------------|--|-----------------------------|--------------|
| Start Date/Time | End Date/Time | Problem | Cross Street |
| Status | Main Task/Task | | |
| 19-001234 | Public Works | 8921 VAIL AVE | |
| 8/21/2019 2:30 PM | 8/21/2019 3:30 PM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | |
| | weedeat roadside ditch | | |
| 19-001235 | Public Works | 8714 SULLIVAN RD | |
| 8/21/2019 8:30 AM | 8/21/2019 10:30 AM | Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | |
| Req Comment: | SIDE DITCH BETWEEN ADDRESS ABOVE AND TRAILER PARK NEEDS TO BE WEEDEATED. | | |
| | Weedeat the side ditch. Start at Sullivan and weedeat back 280 LF | | |
| 19-001236 | Public Works | 0 BRIDGEPORT DR | |
| 8/21/2019 12:30 PM | 8/21/2019 1:10 PM | Pot Hole Patching | |
| Complete | / Fill Potholes | | |
| Req Comment: | 3 POTHOLES ON BRIDGEPORT BETWEEN LANDMOR AND MORGAN RD. | | |
| | pot holes on bridgeport dr | | |
| 19-001237 | Public Works | 11165 SHANNON DR | |
| 8/20/2019 9:00 AM | 8/20/2019 10:00 AM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT CANAL THAT RUNS FROM RONSON TO HENSON NEXT TO ADDRESS LISTED | | |
| | weedeat the side ditch that runs from ronson to henson | | |
| 19-001238 | Public Works | 10745 WELCOME HITES DR | |
| 8/20/2019 7:00 AM | 8/20/2019 9:00 AM | Roadside Weed-eating | |
| Complete | / ROADSIDE WEEDEAT | | |
| Req Comment: | WEEDEAT OVERGROWN ROADSIDE DITCHES ALONG WELCOME HITES | | |
| | weedeat the ditches that are over grown on welcome heights | | |
| 19-001239 | Public Works | 0 WHITE OAK RUN DR | |
| 8/22/2019 9:30 AM | 8/22/2019 3:30 PM | Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | |
| Req Comment: | WEEDEAT AND SPRAY HERBICIDE IN CANAL THAT RUNS ALONG WHITE OAK RUN | | |
| | There is a high section of grass/ weeds growing in flowline next 14955 white oak run. Weedeat and spray that. | | |
| 19-001240 | Public Works | 14922 RUSSETT AVE | |
| 8/21/2019 7:00 AM | 8/21/2019 8:30 AM | Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | |
| Req Comment: | CUT AND SPRAY THE REAR DITCH FROM ADDRESS TO WILMINGTON DR | | |
| | Weedeat the flowline of the ditch that runs from Wilmington to 14922 russett. It's a total 850 LF. Also remove small debris that has fell into ditch | | |
| 19-001242 | Public Works | CITY WIDE SNIPE | |
| 8/19/2019 12:30 PM | 8/19/2019 2:00 PM | Litter Control | |
| Complete | Pick Up Trash / Pick Up Trash | | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | |
| 19-001243 | Public Works | 13721 HOOPER RD | |
| 8/19/2019 8:00 AM | 8/22/2019 8:32 AM | Roadside Weed-eating | |
| Complete | ROADSIDE WEEDEAT / | | |
| Req Comment: | WEED EAT IN FRONT OF CITY HALL | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Start Date/Time | End Date/Time | Category | Address |
|---|--------------------|-----------------------------|---------------------------|
| Status | Problem | Main Task/Task | Cross Street |
| Crew Comment: WEED EAT IN FRONT OF CITY HALL | | | |
| 19-001244 | | Public Works | 13016 GURNEY RD |
| 8/26/2019 9:00 AM | 8/26/2019 10:00 AM | Off Road Drainage | |
| Complete | | / Remove Debris | |
| Req Comment: THE DITCH THAT RUNS ON THE SULLIVAN ROAD SIDE OF 13016 GURNEY STRAIGHT BACK HAS TWO COMPLETE BLOCKAGES AND ONE PARTIAL. THE FIRST BLOCKAGE IS A SMALL LIMB THAT IS ON THE SIDE OF THE DITCH NOT IN THE FLOW LINE. THE NEXT BLOCKAGE IS THE TOP OF A DEAD TREE IN THE DITCH. THE THIRD IS VINES THAT WERE ON A DEAD TREE THAT HAD FALLEN ACROSS THE DITCH. THE TREE AT THIS TIME IS NOT BLOCKING FLOW. NO HEAVY EQUIPMENT NEEDED. | | | |
| 19-001245 | | Public Works | 10905 N OLD SETTLEMENT RD |
| 9/28/2019 10:45 AM | 9/28/2019 11:30 AM | Herbicide Treatment | |
| Complete | | / HERBICIDE TREATMENT | |
| Req Comment: H.O. WANTS BLACKWATER BAYOU SPRAYED. PLEASE INVESTIGATE | | | |
| Spray if not weed eat the ditch from the bridge back to the tree line by the white storage shed | | | |
| 19-001246 | | Public Works | 13229 TRIPLE B RD |
| 8/23/2019 2:00 PM | 8/23/2019 3:30 PM | Storm Drain Repair | |
| Complete | | / Repair or Replace Culvert | |
| Req Comment: SINKHOLE FORMED AGAIN BY DRIVEWAY. REPAIR FAIL? BACKFILL? | | | |
| Catch basin next to drive way with mail box has a sink hole the culvert collected red dye | | | |
| 19-001250 | | Public Works | 13841 LEEANNE DR |
| | | Draining Maintenance | |
| Complete | | / | |
| Req Comment: H.O. WANTS ROADSIDE DITCH CLEANED OUT | | | |
| Weed eat ditch | | | |
| CLOSE OUT. WORK WAS DONE WITH 19-001230 | | | |
| 19-001253 | | Public Works | 16948 BASSWOOD AVE |
| | | Miscellaneous | |
| Complete | | / | |
| Req Comment: REPAIR SMALL SECTION OF DRIVEWAY FROM SDR | | | |
| SENT TO 3RD PARTY CONTRACTOR FOR REPAIR | | | |
| 19-001254 | | Public Works | 11037 LANDFAIR AVE |
| 8/20/2019 11:30 AM | 8/20/2019 12:00 PM | Miscellaneous | |
| Complete | | / Patching | |
| Req Comment: REPAIR SIDEWALK FROM SDR | | | |
| 19-001255 | | Public Works | 11138 LANDFAIR AVE |
| 8/20/2019 10:00 AM | 8/20/2019 11:30 AM | Miscellaneous | |
| Complete | | / Patching | |
| Req Comment: REPAIR THE DRIVEWAY FROM SDR | | | |
| 19-001256 | | Public Works | 9258 BRAMBLE DR |
| 8/21/2019 2:00 PM | 8/28/2019 12:00 PM | Miscellaneous | |
| Complete | | / Repair Sidewalk | |
| Req Comment: REPAIR SIDEWALK FROM SDR. | | | |
| 19-001257 | | Public Works | 15236 BEAUFORT DR |
| 8/28/2019 7:00 AM | 8/28/2019 3:30 PM | Storm Drain Repair | |
| Complete | | / Repair or Replace Culvert | |
| Req Comment: SINKHOLE NEAR DRIVEWAY | | | |
| Driveway is cracked up over culvert and at catch basin there are sink holes | | | |
| 19-001260 | | Public Works | 11227 NORWAY PINE DR |
| 8/29/2019 7:00 AM | 8/29/2019 3:30 PM | Draining Maintenance | |
| Complete | | / Repair or Replace Culvert | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Status | Start Date/Time | End Date/Time | Category | Problem | Main Task/Task | Address | Cross Street |
|--------------|--------------------|--------------------|--------------|---|---------------------------------|---------|-----------------|
| Req Comment: | | | | CHECK NEIGHBORS CULVERT AT 11237 NORWAY PINE. H.O. STATES HER DITCH DOES NOT DRAIN AND IT MAY BE DUE TO THE NEIGHBORS CULVERT | | | |
| | | | | Culvert under 11237 Norway Pine driveway has caused the driveway to crack up | | | |
| 19-001261 | 8/28/2019 11:59 AM | 8/28/2019 3:00 PM | Public Works | Draining Maintenance | / Roads Side Ditch Digging | 9312 | WILLOW CREEK DR |
| Complete | | | | | | | |
| Req Comment: | | | | CULVERTS STAY FULL OF WATER CAUSING MOSQUITO PROBLEM | | | |
| | | | | Skim out ditch in front of 9332 Willow Creek to side ditch @ 9414 Willow Creek | | | |
| 19-001263 | 8/26/2019 10:00 AM | 8/26/2019 2:00 PM | Public Works | Off Road Drainage | / Remove Debris | 15528 | BROWN RD |
| Complete | | | | | | | |
| Req Comment: | | | | CANAL ON THE SIDE OF THE ADDRESS LISTED NEEDS CLEANING OUT. | | | |
| | | | | CALL HO BEFORE INVESTIGATING | | | |
| | | | | Trees limbs hanging in roadway need trimming from brown along old brown road 15528 several hundred feet back to brown road . Road side ditches need weedeat in. | | | |
| | | | | Culvert and timber removed from ditch at utility servitude. Culvert crossing road has damage needs repairing. | | | |
| 19-001264 | 8/26/2019 7:00 AM | 8/26/2019 10:30 AM | Public Works | Off Road Drainage | / Clean Ditch | 13757 | JOOR RD |
| Complete | | | | | | | |
| Req Comment: | | | | REAR DITCH SEEMS TO HAVE A BEAVER DAM AND HOLDS WATER. H.O. REQUESTS THAT WE CLEAN OUT ALL OF THE DITCH. APPROX 600 FT. | | | |
| | | | | H.O. WANTS TO MEET ON SITE WITH INSPECTOR | | | |
| | | | | From 13757 Joor to 13339 Joor remove debris in rear ditch | | | |
| 19-001265 | 8/27/2019 7:00 AM | 8/29/2019 3:30 PM | Public Works | Storm Drain Repair | / Repair or Replace Landscaping | 15531 | CHANOVE AVE |
| Complete | | | | | | | |
| Req Comment: | | | | SINKHOLE IN FRONT YARD | | | |
| | | | | CHECK THE NEIGHBORS CULVERT AS WELL. | | | |
| | | | | Sink hole shows concrete pipe hole | | | |
| 19-001266 | 9/28/2019 11:30 AM | 9/28/2019 12:00 PM | Public Works | Herbicide Treatment | / HERBICIDE TREATMENT | 14324 | CAREY RD |
| Complete | | | | | | | |
| Req Comment: | | | | SPRAY DITCH - SIDES AND BOTTOM OF DITCH | | | |
| | | | | spray ditch | | | |
| 19-001267 | 8/21/2019 9:00 AM | 8/21/2019 9:30 AM | Public Works | Roadside Weed-eating | / Clean Guard Rail | 0 | E BEAVER DR |
| Complete | | | | | | | |
| Req Comment: | | | | WEEDEAT AROUND THE GUARDRAIL - N. LOCKRIDGE AND E. BEAVER | | | |
| | | | | weedeat around guard rail | | | |
| 19-001268 | 8/20/2019 1:00 PM | 8/20/2019 3:30 PM | Public Works | Draining Maintenance | / Roads Side Ditch Digging | 13690 | CAREY RD |
| Complete | | | | | | | |
| Req Comment: | | | | DIG DITCH TO RELIEVE THE TAIL LINE | | | |
| 19-001269 | 8/21/2019 7:00 AM | 8/21/2019 9:00 AM | Public Works | Roadside Weed-eating | / Clean Guard Rail | 0 | EASBY AVE |
| Complete | | | | | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| Serial | Date/Time | End Date/Time | Category | Address |
|--|-----------|---------------|--------------------------------------|---------------------------|
| Status | | | Problem Main Task/Task | Cross Street |
| Req Comment: WEEDEAT AROUND GUARDRAIL - EASBY AND N. BEAVER | | | | |
| 19-001270 | | | Public Works | 0 BLASPIQUE DR |
| 8/21/2019 | 9:15 AM | 8/21/2019 | 10:30 AM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: PART OF THE ROAD IS WASHING AWAY AT THE INTERSECTION OF BLASPIQUE AND HWY 64 | | | | |
| 19-001271 | | | Public Works | 0 MORGAN RD |
| 8/21/2019 | 8:30 AM | 8/21/2019 | 9:15 AM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: POTHOLE AT THE INTERSECTION OF MORGAN AND THIBODEAUX | | | | |
| pot hole is near 6464 morgan rd | | | | |
| 19-001272 | | | Public Works | 0 SHADY BLUFF DR |
| 8/21/2019 | 7:00 AM | 8/21/2019 | 8:30 AM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: POTHOLE ON SHADY BLUFF AT HOOPER RD. | | | | |
| Pot hole is on shady bluff right next to central steak and seafood entrance | | | | |
| 19-001273 | | | Public Works | 0 MORGAN MEADOW AVE |
| 8/26/2019 | 10:30 AM | 8/26/2019 | 2:30 PM Tree Removal | |
| Complete | | | / High Tree Limb Removal | |
| Req Comment: TRIM TREES AROUND THE INTERSECTION OF MORGAN MEADOW AND SHOECREEK. TREE LIMBS ARE IMPEDING THE ROADWAY | | | | |
| Trim back the limbs impeding the road @. 10112 shoe creek drive. Will need a trailer to haul off limbs | | | | |
| 19-001274 | | | Public Works | 10905 N OLD SETTLEMENT RD |
| 8/21/2019 | 1:00 PM | 8/21/2019 | 2:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 19-001275 | | | Public Works | 11033 NORWAY PINE DR |
| 8/21/2019 | 2:30 PM | 8/21/2019 | 3:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 19-001276 | | | Public Works | 11043 NORWAY PINE DR |
| 8/21/2019 | 3:00 PM | 8/21/2019 | 3:30 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 19-001277 | | | Public Works | 12131 STONEWAY PL |
| 8/23/2019 | 9:41 AM | 8/23/2019 | 10:41 AM Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: WEEDEAT AND SPRAY SIDE DITCH FROM STONEWAY PLACE TO REAR CANAL | | | | |
| Weedeat the side ditch to the rear of the property. Spray the bottom of the ditch. Do not spray sides of ditch because of erosion | | | | |
| 19-001278 | | | Public Works | 14209 DENHAM RD |
| 8/21/2019 | 12:30 PM | 8/21/2019 | 1:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 19-001279 | | | Public Works | 0 N OLD SETTLEMENT RD |
| 8/21/2019 | 2:00 PM | 8/21/2019 | 2:30 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH - START AT THE INTERSECTION OF OLD SETTLEMENT TO N OLD SETTLEMENT AND GO ABOUT 100 YARDS DOWN N OLD SETTLEMENT | | | | |
| 19-001280 | | | Public Works | 16716 CHICKASAW AVE |
| 8/26/2019 | 7:00 AM | 8/26/2019 | 9:30 AM Off Road Drainage | |
| Complete | | | / Trim Vegetation | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Date/Time | End Date/Time | Category | Address |
|---|--------------------|--------------------|--|--|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| Req Comment: REAR DITCH NEEDS CLEANING OUT BEHIND 16708 CHICKASAW. | | | | |
| The rear servitude flow line is clear just vines and limbs over hanging in to servitude | | | | |
| 19-001281 | 8/28/2019 9:00 AM | 8/28/2019 11:00 AM | Public Works Draining Maintenance / Roads Side Ditch Digging | 11126 CREIGHTON DR |
| Complete | | | | |
| Req Comment: H.O. WANTS ROADSIDE DITCH DUG | | | | |
| Skim out the ditch in front | | | | |
| 19-001282 | 8/23/2019 11:04 AM | 8/23/2019 11:30 AM | Public Works Roadside Weed-eating | 0 JOOR RD |
| Complete | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD | | | | |
| 19-001283 | 8/22/2019 8:00 AM | 8/22/2019 8:25 AM | Public Works Roadside Weed-eating | 0 GREENWELL SPRINGS RD 0 MAGNOLIA BRIDGE RD |
| Complete | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD | | | | |
| 19-001284 | 8/23/2019 7:00 AM | 8/23/2019 8:15 AM | Public Works Roadside Weed-eating | 0 GURNEY RD 0 GURNEY RD |
| Complete | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | | |
| 19-001285 | 8/19/2019 8:00 AM | 8/22/2019 8:45 AM | Public Works Roadside Weed-eating | 0 LOVETT RD 0 LOVETT RD |
| Complete | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | | |
| 19-001286 | 8/22/2019 7:00 AM | 8/22/2019 8:00 AM | Public Works Draining Maintenance / Clean Culvert | 11227 DOWNEY DR |
| Complete | | | | |
| Req Comment: REMOVE CATCH BASIN TOPS AND LOOK FOR BLOCKAGES UNDER LAWNSIDE DR. | | | | |
| 19-001287 | 8/22/2019 7:00 AM | 8/22/2019 9:00 AM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 0 KEYSTONE AVE |
| Complete | | | | |
| Req Comment: WEEDEAT AND RAKE DITCH NEXT TO 18214 KEYSTONE | | | | |
| 19-001288 | 8/23/2019 8:30 AM | 8/23/2019 9:15 AM | Public Works Roadside Weed-eating / ROADSIDE WEEDEAT | 13741 DEVALL RD |
| Complete | | | | |
| Req Comment: WEEDEAT ROADSIDE DITCH THATS BETWEEN THE ADDRESS LISTED AND BLANCO'S ROOFING. | | | | |
| CLEAR CULVERTS | | | | |
| 19-001289 | 8/23/2019 1:00 PM | 8/23/2019 1:15 PM | Public Works Miscellaneous / Cover Utility Cut or Hole | 0 MAGNOLIA SQUARE CIR |
| Complete | | | | |
| Req Comment: CAR RAN OFF THE ROAD AND BROKE A 6X6 TOP. NEED BARRICADES | | | | |
| 19-001290 | 8/23/2019 2:00 PM | 8/23/2019 2:10 PM | Public Works Miscellaneous / Repair or Replace Grate | 11830 N MILSTEAD PL |
| Complete | | | | |
| Req Comment: CATCH BASIN TOP IS OFF AND LAYING ON THE SIDE | | | | |
| 19-001292 | | | Public Works Off Road Drainage / | 18102 KEYSTONE AVE |
| Complete | | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | Date/Time | End Date/Time | Category | Address |
|---------------|--|---------------|-------------------------------------|---------------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| Req Comment: | CHECK THE SWELL DITCH THAT RUNS BEHIND THE FOLLOWING ADDRESSES (ALL NEXT DOOR TO EACH OTHER) 18112 KEYSTONE (FERGUSON) 18102 KEYSTONE (GASPARD) 6608 NARCISSUS (SCHUTZMAN) 6455 N SHERIDANE COURT (TUCKER) | | | |
| | AT 6608 NARCISSUS DIG SWELL DITCH TO THE ROAD AND INSTALL CATCH BASIN BOX TO RELIEVE WATER FROM THE REAR OF THE LOT. | | | |
| 19-001293 | | | Public Works | 11034 MCCULLOUGH RD |
| 9/28/2019 | 12:30 PM | 9/28/2019 | 1:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | | |
| | Weed eat the ditch from 11034 to 11150 Mc Cullough | | | |
| 19-001294 | | | Public Works | 15315 CHARLESTON DR |
| 9/29/2019 | 2:00 PM | 9/29/2019 | 3:30 PM Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: | WEEDEAT SIDE DITCH AND CLEAN CULVERT AT THE ROAD | | | |
| | Weed eat from road to white fence approximately 150' | | | |
| 19-001298 | | | Public Works | 6410 TARORRA DR |
| 8/29/2019 | 8:00 AM | 8/29/2019 | 12:00 PM Draining Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | DITCH MAY NEED TO BE DUG - HALF WAY FILLED IN. | | | |
| | Skim out ditch for approximately 30' from driveway. Culverts may need to be pulled at 6328, 6318, 6327. | | | |
| 19-001299 | | | Public Works | 10943 N OLD SETTLEMENT RD |
| 9/28/2019 | 10:30 AM | 9/28/2019 | 10:45 AM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / Trim Vegetation | |
| Crew Comment: | WEEDEAT FRONT DITCH | | | |
| 19-001300 | | | Public Works | 0 WAX RD |
| 9/28/2019 | 7:00 AM | 9/28/2019 | 8:36 AM Roadside Weed-eating | 0 WAX RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Crew Comment: | WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD | | | |
| 19-001301 | | | Public Works | CITY WIDE SNIPE |
| 8/26/2019 | 9:00 AM | 8/26/2019 | 1:00 PM Litter Control | |
| Complete | | | Pick Up Trash / Pick Up Trash | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 19-001302 | | | Public Works | 13721 HOOPER RD |
| 9/28/2019 | 8:40 AM | 9/28/2019 | 9:36 AM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: | WEED EAT IN FRONT OF CITY HALL | | | |
| Crew Comment: | WEED EAT IN FRONT OF CITY HALL | | | |
| 19-001303 | | | Public Works | 0 DURMAST DR |
| 8/19/2019 | 7:00 AM | 8/27/2019 | 8:15 AM Roadside Weed-eating | 0 DURMAST DR |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Crew Comment: | LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING | | | |
| 19-001304 | | | Public Works | 0 FRENCHTOWN RD |
| 9/27/2019 | 12:00 PM | 9/27/2019 | 3:30 PM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| V | S. | Date/Time | End Date/Time | Category | Problem | Address | Cross Street |
|-----------|----------|---|---------------|---------------------------------|----------------------|---------|--------------------|
| Status | | | | Main Task/Task | | | |
| | | Req Comment: 2 BIG POTHOLE AT THE INTERSECTION OF FRENCHTOWN AND FRENCHTOWN ACRES | | | | | |
| 19-001306 | | | | Public Works | Draining Maintenance | 15110 | HUBBS RD |
| Complete | | | | / | | | |
| | | Req Comment: OPEN UP CULVERT AND GET THE VEGETATION OUT. | | | | | |
| | | DUPLICATE WORK ORDER. 19-001305 | | | | | |
| 19-001308 | | | | Public Works | | 13822 | OAKBERRY AVE |
| 9/29/2019 | 11:30 AM | 9/29/2019 | 12:00 PM | Off-Road Weedeating/Cleanup | | | |
| Complete | | | | / OFF ROAD WEEDEAT | | | |
| | | Req Comment: WEEDEAT AND SPRAY SIDE DITCH | | | | | |
| 19-001311 | | | | Public Works | | 17968 | VILLA LAKE AVE |
| 8/28/2019 | 2:48 PM | 8/28/2019 | 3:30 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: POTHOLE AT THE ADDRESS ABOVE | | | | | |
| 19-001312 | | | | Public Works | | 17660 | VILLA TRACE AVE |
| 8/28/2019 | 2:30 PM | 8/28/2019 | 2:46 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: POTHOLE AT THE ADDRESS ABOVE | | | | | |
| 19-001314 | | | | Public Works | | 0 | VIRGIL JACKSON AVE |
| 8/28/2019 | 1:00 PM | 8/28/2019 | 2:30 PM | Tree Removal | | | |
| Complete | | | | / Wash Sign and Trim Vegetation | | | |
| | | Req Comment: TRIM TREES HANGING IN THE ROADWAY | | | | | |
| 19-001317 | | | | Public Works | | 10821 | CORE LN |
| 8/29/2019 | 2:20 PM | 8/29/2019 | 2:30 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: POTHOLE IN FRONT OF ADDRESS LISTED | | | | | |
| 19-001318 | | | | Public Works | | 0 | DENHAM RD |
| 8/29/2019 | 2:15 PM | 8/29/2019 | 2:20 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: POTHOLE NEAR THE INTERSECTION OF DENHAM AND HUBBS | | | | | |
| 19-001319 | | | | Public Works | | 0 | CORE LN |
| 8/29/2019 | 2:30 PM | 8/29/2019 | 3:30 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: MANY POTHOLE ON CORE LANE | | | | | |
| | | patch all pot holes on core ln | | | | | |
| 19-001320 | | | | Public Works | | 0 | LOCKRIDGE AVE |
| 8/29/2019 | 1:45 PM | 8/29/2019 | 2:15 PM | Pot Hole Patching | | | |
| Complete | | | | / Fill Potholes | | | |
| | | Req Comment: SEVERAL POTHOLE ALONG LOCKRIDGE | | | | | |
| | | patch all potholes on lockridge | | | | | |
| 19-001321 | | | | Public Works | Pot Hole Patching | 0 | CORE LN |
| Complete | | | | / | | | |
| | | Req Comment: MANY POTHOLE ON CORE LANE | | | | | |
| | | patch all pot holes on core ln | | | | | |
| | | duplicate | | | | | |
| 19-001322 | | | | Public Works | Pot Hole Patching | 0 | LOCKRIDGE AVE |
| Complete | | | | / | | | |

Work Order Listing Report

9/18/2019

AUGUST 2019 COMPLETED W.O.

9:20 AM

| S. No. | Date/Time | End Date/Time | Category Problem Main Task/Task | Address Cross Street |
|--------------|---|--------------------|--|-------------------------|
| | | | | |
| Req Comment: | SEVERAL POTHOLES ALONG LOCKRIDGE | | | |
| | patch all potholes on lockridge | | | |
| | duplicate | | | |
| 19-001323 | | 8/29/2019 | Public Works Pot Hole Patching / | 0 LANSDOWNE RD |
| Complete | | | | |
| Req Comment: | POTHOLE AT THE INTERSECTION OF LANSDOWNE AND HOOPER ON THE LANSDOWNE SIDE | | | |
| | duplicate | | | |
| 19-001324 | 8/29/2019 7:00 AM | 8/29/2019 11:30 AM | Public Works Pot Hole Patching / Fill Potholes | 0 HUBBS ACRES AVE |
| Complete | | | | |
| Req Comment: | BIG DIP IN THE ROAD WHEN TURNING OFF OF HUBBS ONTO HUBBS ACRES. SHE SAYS IT NEEDS ASPHALT TO SMOOTH IT OUT. | | | |
| 19-001325 | 8/29/2019 12:00 PM | 8/29/2019 1:45 PM | Public Works Pot Hole Patching / Fill Potholes | 6431 THIBODEAUX RD |
| Complete | | | | |
| Req Comment: | POTHOLE IN FRONT OF ADDRESS ABOVE NEEDS TO BE REPAIRED. | | | |
| | patch all pot holes on thibodeaux | | | |